

THE CORPORATION OF THE CITY OF BRAMPTON

BY-LAW NUMBER 159-75

A By-law to amend By-law 2566 and to regulate the use of land and the erection, use, bulk, height and location of buildings located on Part of Lots 3 and 4, Concession 1, East of Hurontario Street, Lots 14 to 31 both inclusive and Part of Block A, Registered Plan Number 581.

The Council of the Corporation of the City of Brampton enacts as follows:

Section 1.0 - Definitions

In this By-law:

- 1.1 Accessory means naturally and normally incidental, subordinate and exclusively devoted to the principal use, building or structure located on the same lot.
- 1.2 Building Area means the maximum area of a building at grade measured to the centre of party walls and to the outside of other walls. Building area includes airwells and all other spaces within the building, but excludes porches, verandahs, steps, cornices, chimney breasts, fire-escapes, exterior stairways, breezeways, detached accessory buildings, ramps, and open loading platforms.
- 1.3 Carport means an accessory building or a portion of a main building designed or used for the sheltering of vehicles which has more than forty (40) per cent of its total perimeter open and unobstructed.
- 1.4 Corner Lot means a lot situated at the intersection of two or more streets, or at the intersection of two parts of the same street having an angle of intersection of less than one hundred and thirty-five (135) degrees.
- 1.5 Dwelling Unit means one or more habitable rooms, connected together to form a separate unit which constitutes an independent housekeeping unit for one family to sleep, cook and eat and which includes its own sanitary facilities.
- 1.6 Exterior Lot means a corner or reversed corner lot.

- 1.7 Exterior Side Yard means the side yard of an exterior lot which extends from the front yard to the rear lot line between the flankage lot line and the nearest main wall of the main building or structure.
- 1.8 Family means (a) an individual; or (b) two or more persons who are related by consanguinity, marriage or legal adoption; and not more than two (2) persons who receive their lodging and/or board for compensation; or (c) a group of not more than five (5) unrelated persons.
- 1.9 Flankage Lot Line means the longer lot line which abuts the street on an exterior lot.
- 1.10 Front Lot Line means the lot line that divides the lot from the street. In the case of an exterior lot, the shorter lot line that abuts a street is considered the front lot line.
- 1.11 Front Yard means a yard extending across the full width of the lot between the front lot line and the nearest main wall of the main building or structure on the lot.
- 1.12 Height of Building means the vertical distance from grade to the highest point of the roof surface in the case of a flat roof, to the mean height level between the eaves and ridge of a gable, hip or gambrel roof, or to the deck line of a mansard roof.
- 1.13 Interior Lot means a lot other than an exterior lot.
- 1.14 Key Lot means an interior lot in the rear of and adjoining a reversed corner lot but not separated from the corner lot by a lane.
- 1.15 Lot means a parcel of land that is not less than:
(a) a whole lot on a registered plan of subdivision or,
(b) a parcel of land which complies with the provisions of Section 29(2) or Section 29(4) of The Planning Act, R.S.O. 1970, Chapter 349 as amended.

- 1.16 Lot Area means the total horizontal area within the lot lines of a lot; excluding the horizontal area of the lot usually covered by water or marsh, or below the rim of a river bank or watercourse, or between the top and toe of a cliff or embankment, or having a slope of twenty-five (25) per cent or more.
- 1.17 Lot Depth means the horizontal distance between the front and rear lot lines, measured along a line midway between the side lot lines.
- 1.18 Lot Line means any boundary of a lot.
- 1.19 Lot Width means the shortest horizontal distance between the side lot lines measured twenty (20) feet back from the midpoint of the front lot line.
- 1.20 Main Building means the building designed or used for the principal use on the lot.
- 1.21 Main Wall means any exterior wall of a building, but shall be construed to mean the structural members essential to the support of a roof, where they are nearer to a lot line than the main wall.
- 1.22 Parking Area means an open area or a structure, other than a street, used for the temporary parking of one or more vehicles and available for use by employees or residents.
- 1.23 Parking Space means a space within a parking area exclusive of driveways, aisles or landscaped open space for the temporary parking of a vehicle.
- 1.24 Private Garage means an accessory building or a portion of a dwelling which is designed or used for the sheltering of one or more vehicles and the storage of household equipment incidental to the residential occupancy of the dwelling.
- 1.25 Public Utility Installation means any building, structure, plant or equipment essential to the operation of a public

utility including any of the following:

- Bell Telephone Company of Canada
- Canadian Pacific Railway Company
- Canadian National Railway Company
- Consumers Gas Company
- Hydro Electric Commission of Brampton

- 1.26 Rear Lot Line means the lot lines opposite the front lot line.
- 1.27 Rear Yard means a yard extending across the full width of the lot between the rear lot line and the nearest main wall of the main building.
- 1.28 Reversed Corner Lot means a corner lot whose flankage lot line is substantially a continuation of the front lot line of a key lot.
- 1.29 Side Lot Line means a lot line other than a front or rear lot line.
- 1.30 Side Yard means a yard between the main wall of the main building or structure and the side lot line extending from the front yard to the rear yard.
- 1.31 Single Family Dwelling means a detached building containing one dwelling unit.
- 1.32 Street means a public highway.
- 1.33 Street Setback means the distance between the centre line of a street allowance and the main wall of a building.

Section 2.0 - Designations

2.1 Use Zones

For the purpose of this by-law the lands shown on Schedule "A" are designated as follows:

<u>Zone Designation</u>	<u>Zone Symbol</u>
Residential Single Family	R1
Open Space	OS

2.2 Zoning Map

- (a) The zones and the boundaries of the zones are shown on Schedule "A" which forms part of this by-law and which is referred to as the Zoning Map.
- (b) Where the boundary of a zone is shown on the Zoning Map,
 - (1) as following a street, lane, railway right-of-way, transmission line or watercourse, the center line of the street, lane, railway right-of-way transmission line or watercourse is the boundary,
 - (2) as following lot lines on a registered plan of subdivision, the lot lines are the boundary.
- (c) By-law Number 2566 be amended in so far as it affects the lands described in Schedule "A" attached hereto.

Section 3.0 - Public Uses Permitted

- 3.1 The provisions of this By-law shall not apply to the use of any land or to the erection or use of any building or structure for the purposes of the Corporation of the City of Brampton or for the purposes of any local Board thereof as defined by The Municipal Affairs Act, R.S.O. 1970, Chapter 118, provided that:
- (1) The lot coverage, yard and parking requirements are complied with for the zone in which the land, building or structure is located, and
 - (2) no goods, material, or equipment are stored in the open in a Residential Zone.

Section 4.0 - General Provisions

4.1 Yards

Every part of a required yard shall be open and unobstructed from the ground to the sky, except as permitted by this by-law.

4.2 Permitted Encroachments Into Required Yards

The structures listed in the following Schedule shall be permitted to project into a required yard.

Schedule 4.2

Structure	Yards in which projections are permitted	Maximum projection from main wall permitted
Sill, belt course, cornice, eave, gutter, chimney or pilaster	any yard	18 inches
Fire Escape and exterior staircase	Front, rear and exterior side yards only	5 feet
Window Bay	Front, rear and exterior side yard only	3 feet over a maximum width of 10 feet
Balcony	Front, rear and exterior side yards only	5 feet
Open or roofed porch not exceeding one storey in height	Rear yard only	8 feet including eaves and cornices

4.3 No porch or terrace permitted by Section 4.2 shall extend above the level of the ground floor of the building exclusive of roof supports; but this shall not prohibit the erection of latticing, screening or a similar structure which permits the free passage of air at all times.

4.4 Lot Coverage Accessory Uses

The building area of all accessory buildings and structures, including a swimming pool covered or enclosed by a permanent structure, shall not exceed ten (10) per cent of the lot area.

4.5 Swimming Pools

(a) A private uncovered or unenclosed swimming pool constructed in a Residential Zone shall be located no closer than five (5) feet to any rear or side lot line, and no closer than ten (10) feet to any rear lot line which abuts the side lot line of another lot.

(b) A building for a covered or enclosed swimming pool may be located in the side or rear yard of a lot in a Residential Zone provided that it is:

- (i) No closer than four (4) feet to a side lot line, if in an interior side yard,
- (ii) no closer than two (2) feet to an interior side or a rear lot line, if in a rear yard, and
- (iii) no closer to a street than the required setback for a main building.

4.7 Building Heights

(a) No principal building shall exceed a height of thirty-five (35) feet.

(b) No accessory building in a Residential Zone shall exceed a height of fifteen (15) feet, and in any other zone no accessory building shall exceed a height of twenty (20) feet.

(c) The height limitations of this by-law shall not apply to church spires, water tanks, elevatory enclosures, flag poles, television or radio antennae, ventilators or skylights or chimneys.

4.8 Fences or Hedges

No fence or hedge

- (i) within a required front yard shall exceed three (3) feet in height;
- (ii) within an exterior side yard shall exceed four (4) feet in height, and
- (iii) within any other required yard shall exceed six (6) feet in height except that a chain link fence for a school or park may exceed these permitted heights.

Section 5.0 - Parking

5.1 Parking Accommodation

For every building or property erected, occupied or used minimum off-street automobile parking accommodation located on the same lot with the building or use shall be provided as follows:

- (a) For each dwelling unit, two parking spaces which may be located in a driveway;
- (b) for each arena, auditorium, stadium, church hall, and similar place of public assembly one parking space for every four (4) fixed seats or benches one parking space for each one hundred square feet of floor area;
- (c) for each nursery school, public, separate or private school, one parking space for each classroom.

5.2 Parking Area - Requirements

(a) Where parking facilities are required or permitted for single family detached dwelling;

(i) Parking spaces shall be located on the same lot as the principal use.

(ii) No area may be constructed or used for parking or storage within a required front yard or required exterior side yard however the parking of one passenger vehicle in a driveway in the required yard is permitted.

(iii) No driveway shall be less than ten (10) feet in width.

(iv) No driveway shall be located closer than thirty (30) feet to an intersection of a front lot line and an exterior side lot line.

(b) Where parking facilities are required or permitted for uses other than single family detached dwelling:

(i) Parking facilities shall be located on the same lot as the main use.

- (ii) Parking facilities shall be so arranged that vehicles may enter and leave the property in forward motion.
- (iii) Each parking space shall have unobstructed access to an aisle leading to a driveway.
- (iv) All parking spaces shall be rectangular and shall have the following minimum dimensions.

<u>Arrangement of Parking Space to Aisle</u>	<u>Minimum Width Of Parking Space</u>	<u>Minimum Length Of Parking Space</u>
Parallel	9 feet	23 feet
Angled	9.5 feet	19 feet

- (v) Aisles providing unobstructed access from each parking space to a driveway shall be provided as follows:

<u>Angle of Parking</u>	<u>Minimum Aisle Width</u>
0° to less than 55°	13 feet
55° to less than 75°	18 feet
75° to 90°	21 feet

- (vi) Driveways providing unobstructed access to a public street or lane shall be provided as follows:

<u>Number of Vehicles In Parking Area</u>	<u>Minimum Number of Driveways</u>	<u>Minimum Width of Driveway</u>
Less than 20 vehicles	1	12 feet
20 or more vehicles	2	12 feet
OR		
20 or more vehicles	1	22 feet

- (vii) No driveway shall be located closer than thirty (30) feet to an intersection of a front lot line and an exterior side lot line.
- (viii) All parking spaces, aisles and driveways shall be usable in all seasons and finished with a stable dustless surface.
- (ix) The lighting facilities of a parking area located within or adjacent to a Residential Zone shall be arranged so as to direct the light away from adjacent residential properties.

5.3 Detached Private Garage or Carport

(a) A detached private garage or carport as an accessory building may be located in the side or rear yard of a lot in a Residential Zone provided that it is:

- (i) no closer than four (4) feet to a main building and,
- (ii) no closer than four (4) feet to a side lot line, if in an interior side yard or two (2) feet to an interior side or a rear lot line, if in a rear yard and,

(b) A detached private garage or carport may be erected against a lot line in a side or rear yard if:

- (i) The garages for both lots are designed as one (1) building, and
- (ii) A common wall, on and along the side or rear lot line divides the garages, and
- (iii) The garages for both lots are constructed or reconstructed simultaneously.

5.4 Trailers and Commercial Vehicles

A house trailer or a commercial vehicle not exceeding 6000 pounds Gross Vehicle Weight may be stored or parked in a Residential Zone provided that the house trailer or Commercial vehicle:

- (a) is not parked closer to a lot line than a detached private garage is permitted by this By-law;
- (b) is owned by the occupant of the premises and;
- (c) is not used for human habitation.

Section 6.0 - Residential Single Family (R1)

6.1 In a Residential Single Family (R1) Zone no land shall be used, and no building or structure shall be erected, or used, except in conformity with the provisions of this section.

6.2 Permitted Uses

(a) Residential

- (i) A single family detached dwelling;
- (ii) a building or use accessory to the above, provided that the building is not used for human habitation.

(b) Public

- (i) A church including an associated place of public assembly;
- (ii) public utility installation excluding any uses which are primarily of an administrative, maintenance or storage nature provided that no goods, material, or equipment are stored in the open;
- (iii) the public uses as set out in Section 3.0;
- (iv) a nursery school provided the operation is conducted within a church hall, or a public school building;

6.3 Lot Requirement

In the Residential Single Family (R1) Zone a single family detached dwelling shall be located on a lot that has:

- (a) a minimum lot width of fifty (50) feet for an interior lot;
- (b) a minimum lot width of sixty (60) feet for an exterior lot except for Lot 17, Registered Plan Number 581;
- (c) a minimum lot depth of one hundred (100) feet;
- (d) a minimum lot area of five thousand (5,000) square feet for an interior lot or six thousand (6,000) square-feet for an exterior lot.

6.4 Front Yard

- (a) The depth of a front yard shall not be less than twenty-five (25) feet.

6.5 Side Yard

- (a) The width of an interior sideyard shall not be less than four (4) feet for a one (1) storey dwelling and an additional two (2) feet for each additional storey or part adjacent to the side yard except as follows:
 - (i) Where there is no attached garage or carport the width of one (1) side yard shall not be less than ten (10) feet for a distance of twenty-two (22) feet measured from the front yard.
- (b) The width of an exterior side yard shall not be less than ten (10) feet.

6.6 Rear Yard

- (a) An interior lot shall have a rear yard not less than thirty-five (35) feet in depth except as follows:

The rear yard may be occupied by a portion of a main building located not less than twenty-five (25) feet from the rear lot line provided that the main building does not occupy more than fifty-five (55) per cent of the rear yard width and that at least thirty-five (35) per cent of the rear yard area is maintained in one contiguous unit with a depth of at least thirty-five (35) feet.

- (b) An exterior lot shall have a rear yard not less than twenty-five (25) feet in depth.

6.7 Building Requirement

- (a) A single family building shall have a minimum gross floor area of nine hundred (900) square feet.
- (b) The building area shall not exceed thirty-three and one-third (33 1/3) per cent of the lot area.

6.8 Parking

- (a) The parking shall be provided in accordance with the provisions of Section 5.

6.9 Landscaped Open Space

Not less than seventy (70) per cent of the required front yard shall be maintained as landscaped open space provided that where a two (2) car garage is constructed the area shall be sixty (60) per cent.

Section 7.0 - Open Space Zone (OS)

- 7.1 In an Open Space (OS) Zone no land shall be used and no building or structure shall be erected, or used except in conformity with the provisions of this section.

7.2 Permitted Uses

- (a) Recreational
- (i) a park or playground
 - (ii) a community centre
 - (iii) an arena
 - (iv) a tennis club

(b) Public

Public utility installation excluding any uses which are primarily of an administrative, maintenance or storage nature provided that no goods, material or equipment are stored in the open.

(c) a use accessory to the above.

7.3 Yards

In the Open Space (OS) Zone, except for underground public utility installation or where the Open Space (OS) Zone does not abut residential uses, the provisions of Section 3.1 shall apply.

7.4 Lot Requirement

In the Open Space (OS) Zone no minimum lot width, depth or area shall apply.

7.5 Building Requirement

In the Open Space (OS) Zone no minimum gross floor area or maximum building area to lot area ratio shall apply.

7.6 Parking

(a) In the Open Space (OS) Zone parking shall be provided in accordance with Section 5.

(b) A parking area may occupy any open space on a lot other than a required front, or required rear yard.

Section 8.0 - Administration

8.1 Administration and Enforcement

This By-law shall be administered by the Zoning and Building Coordinator and such other persons as may from time to time be appointed by resolution of Council.


8.2 Violation of Penalty

Every person who contravenes this By-law is guilty of an offense and upon conviction of a breach of any of the provisions of this By-law shall be liable for each offense to a fine of not more than One Thousand Dollars (\$1,000.00) exclusive of costs.

8.3 This By-law shall come into force upon approval by The Ontario Municipal Board and takes effect on the date of the final passing thereof.

PASSED BY THE COUNCIL OF THE CORPORATION OF THE CITY OF BRAMPTON


This 25th day of August, 1975.



Mayor




Clerk



- O.S.** OPEN SPACE
- RI** RESIDENTIAL SINGLE FAMILY

DATE: MAY 15th, 1975
 DRAWN BY: m.o.

**CITY OF BRAMPTON BY-LAW No. 159-75
 SCHEDULE 'A'**





R 752569

Ontario Municipal Board
IN THE MATTER OF Section 35 of
The Planning Act (R.S.O. 1970,
c. 349)

- and -

IN THE MATTER OF an application
by The Corporation of the City
of Brampton for approval of its
Restricted Area By-law 159-75

B E F O R E :

A. L. McCRAE
Vice-Chairman


- and -

P. M. BROOKS
Member

THURSDAY the 29th day
of APRIL, 1976

The objectors to approval of the said by-law having
withdrawn their objections;

THE BOARD ORDERS that By-law 159-75 is hereby
approved.



K. C. ANDREWS
SECRETARY

ENTERED	
O. B. No.	R 75-5
Folio No.	187
APR 30 1976	
SECRETARY, ONTARIO MUNICIPAL BOARD	