

THE CORPORATION OF THE CITY OF BRAMPTON





To amend By-law 270-2004, as amended

The Council of the Corporation of the City of Brampton ENACTS as follows:

- 1. By-law 270-2004, as amended, is hereby further amended:
 - (1) by changing Schedule A thereto, the zoning designation of the lands as shown outlined on Schedules A and B to this by-law:

From:	То:
AGRICULTURAL (A)	RESIDENTIAL SINGLE DETACHED F- 12.5 – SECTION 2225 (R1F-12.5- SECTION-2225), RESIDENTIAL SINGLE DETACHED F-12.5 – SECTION 2226 (R1F-12.5-SECTION- 2226), RESIDENTIAL SINGLE DETACHED F-9.0 – SECTION 2227 (R1F-9.0-SECTION 2227), RESIDENTIAL SINGLE DETACHED F- 9.0 – SECTION 2228 (R1F-9.0- SECTION 2228), RESIDENTIAL SEMI DETACHED R2E – 7.2 – SECTION 2229 (R2E-7.2-SECTION 2229), RESIDENTIAL TOWNHOUSE R3E-5.5 –SECTION 2230 (R3E-5.5-SECTION- 2230); RESIDENTIAL TOWNHOUSE R3E-5.5 –SECTION 2231 (R3E-4.4- SECTION 2232 (I1-SECTION 2232); COMMERCIAL ONE C1-SECTION 2233 (C1- SECTION 2233); COMMERCIAL THREE C3-SECTION 2234 (C3-SECTION 2234); HIGHWAY COMMERCIAL ONE HC1-SECTION 2235 (HC1-SECTION 2235); OPEN SPACE and FLOODPLAIN

(2) by adding thereto the following sections:

2225

5 The lands designated R1F-12.5 – Section 2225 on Schedule A to this by-law;

- 2225.1 Shall only be used for the purposes permitted in a R1F-12.5 zone;
- 2225.2 Shall be subject to the following requirements and restrictions:
 - (1) Minimum Lot Area: Interior Lot – 310.0 square metres; Corner Lot – 355.0 square metres;
 - (2) Minimum Lot Width: Interior Lot – 12.5 metres; Corner Lot – 14.3 metres;
 - (3) Minimum Lot Depth: 25.0 metres;
 - (4) Minimum Front Yard Depth:
 - a) 3.0 metres;
 - b) 5.5 metres to a garage door facing the front lot line;
 - c) the main wall of a dwelling may encroach into the front yard to within 1.0 metres of a daylight rounding/triangle;
 - a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard;
 - a porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding/triangle;
 - f) a bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum front yard;
 - g) a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding/triangle; and
 - b) 5.5 metres to one garage and 1.0 metres to the second garage for a staggered two car garage;
 - (5) Minimum Exterior Side Yard:
 - a) 3.0 metres
 - b) 1.2 metres where the exterior side yard abuts a public or private lane;
 - c) 5.5 metres to a garage door facing the exterior side yard;
 - d) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding/triangle;
 - e) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard;
 - f) a porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding/triangle;
 - g) a bay window, bow window or box window with or without foundation and a porch or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding/triangle;
 - h) a bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum exterior side yard; and

- i) for corner lots with a 1.2 metres exterior side yard adjacent to a lane, the maximum encroachment of any type into an exterior side yard shall be 0.5 metres;
- (6) Minimum Rear Yard Setback:
 - a) 6.0 metres for an interior lot;
 - b) 3.0 metres for a corner lot provided that not less than 50% of the unit width is setback 6.0 metres from the rear lot line;
 - c) 3.5 metres to a walkout balcony or uncovered terrace on the second storey, or wood deck off the main floor;
 - d) 0.6 metres to an accessory building and/or to the side wall of a garage, where access to the garage is from the exterior side yard for lots greater than 11.0 metres;
 - e) 4.5 metres for open roofed porches and or uncovered terraces not exceeding one storey; and
 - f) a bay window, bow window or box window with or without foundation and a porch or cold cellar may encroach1.0 metres into the minimum rear yard;
- (7) Minimum Interior Side Yard:
 - a) 1.2 metres;
 - b) 0.6 metres to a one storey garage;
 - c) 1.2 metres where the side yard abuts a public walkway or a non-residential zone;
 - d) for two adjoining lots where an interior side yard setback of 0.6 metres to a one storey garage is allowed, then two adjacent interior side yards of 0.6 metres can be paired;
 - e) 0.6 metres for a corner lot abutting another interior lot with a side yard of 0.6 metres, for a total of 1.2 metres between buildings;
 - f) 0.3 metres to a porch and or balcony with or without foundation or cold cellar;
 - g) 0.6 metres to an accessory building; and
 - h) 0.7 metres to a bay, bow, or box window with or without foundation or cold cellar;
- (8) Maximum Building Height 11.0 metres
- (9) Minimum Landscaped Open Space:
 - a) those portions of all yards not occupied by permitted structures, accessory structures, permitted
 - encroachments and permitted driveway shall consist of landscaped Open Space;
- (10)No garage may project more than 1.5 metres beyond the porch or front wall of a dwelling;
- (11) The following provisions apply to garages:
 - a) the maximum cumulative garage door width for lots, with a lot width equal to or greater than 12.5 metres but less than 14.0 metres shall be 5.5 metres;
 - b) for lots greater than 14.0 metres wide, the maximum cumulative interior garage width shall be 6.4 metres or 50% of the dwelling unit width whichever is greater;
 - c) a three bay garage shall be permitted on a corner lot when accessed from the exterior side yard;
 - d) the garage door width may be widened by an extra 0.6 metres if the front of the garage projects 2.5 metres or less beyond the ground floor main entrance of the dwelling unit;

- e) the garage door width restriction does not apply to a garage door facing the exterior lot line; and
- f) the interior garage width, as calculated 3.0 metres from the garage opening shall be a maximum 0.9 metres greater than the maximum cumulative garage door width permitted on the lot;
- (12) Notwithstanding Section 13.5.2.j.2 a garage may face the flankage lot line;
- (13) The following shall apply to a bay, bow or box window:
 - a) Notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
 - b) Notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
 - c) A bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and
 - A bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;
- (14) Notwithstanding Section 6.13 Table 6.13.A a porch, balcony and deck is permitted in the interior side yard;
- (15) The driveway width shall not exceed the exterior width of the garage:
- 2225.3 Shall also be subject to the requirements and restrictions relating to the R1F-12.5 zone and all the general provisions of this by-law, which are not in conflict with those set out in Section 2225.2.
- 2226 The lands designated R1F-12.5 Section 2226 on Schedule A to this by-law;
- 2226.1 Shall only be used for the purposes permitted in a R1F-12.5 zone;
- 2226.2 Shall be subject to the following requirements and restrictions:
 - Minimum Lot Area: Interior Lot – 310.0 square metres; Corner Lot – 355.0 square metres;
 - Minimum Lot Width:
 Interior Lot 12.5 metres;
 Corner Lot 14.3 metres;
 - (3) Minimum Lot Depth: No minimum required;
 - (4) Minimum Front Yard Depth:
 - a) 3.0 metres;
 - b) 5.5 metres to a garage door facing the front lot line;
 - c) the main wall of a dwelling may encroach into the front yard to within 1.0 metres of a daylight rounding/triangle;
 - a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard;
 - e) a porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach into the

front yard to within 0.0 metres of a daylight rounding/triangle;

- f) a bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum front yard;
- g) a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding/triangle; and
- b) 5.5 metres to one garage and 1.0 metres to the second garage for a staggered two car garage;
- (5) Minimum Exterior Side Yard:
 - a) 3.0 metres
 - b) 1.2 metres where the exterior side yard abuts a public or private lane;
 - c) 5.5 metres to a garage door facing the exterior side yard;
 - d) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding/triangle;
 - e) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard;
 - f) a porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding/triangle;
 - g) a bay window, bow window or box window with or without foundation and a porch or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding/triangle;
 - h) a bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum exterior side yard; and
 - i) for corner lots with a 1.2 metres exterior side yard adjacent to a lane, the maximum encroachment of any type into an exterior side yard shall be 0.5 metres;
- (6) Minimum Rear Yard Setback:
 - a) 3.0 metres for an interior lot;
 - b) 3.0 metres for a corner lot
 - c) 1.5 metres to a rear yard for a walkout balcony or uncovered terrace on the second storey, or wood deck off the main floor, or an open roofed porch and or uncovered terrace not exceeding one storey;
 - d) 0.6 metres to an accessory building and/or the side wall of a garage, where access to the garage is from the exterior side yard; and
 - e) a bay window, bow window or box window with or without foundation and a porch or cold cellar may encroach 1.0 metre into the minimum rear yard;
- (7) Minimum Interior Side Yard:
 - a) 1.2 metres;
 - b) 0.6 metres to a one storey garage;
 - c) for two adjoining lots where an interior side yard setback of 0.6 metres to a one storey garage is allowed, then two adjacent interior side yards of 0.6 metres can be paired;
 - d) 0.6 metres for a corner lot abutting another interior lot with a side yard of 0.6 metres, for a total of 1.2 metres between buildings;

- e) 0.3 metres to a porch and or balcony with or without foundation or cold cellar;
- f) 0.6 metres to an accessory building; and
- g) 0.7 metres to a bay, bow, or box window with or without foundation or cold cellar;
- (8) Maximum Building Height 11.0 metres
- (9) Minimum Landscaped Open Space:
 - a) those portions of all yards not occupied by permitted structures, accessory structures, permitted encroachments and permitted driveway shall consist of landscaped Open Space;
- (10) No garage may project more than 1.5 metres beyond the porch or front wall of a dwelling;
- (11) The following provisions apply to garages:
 - a) the maximum cumulative garage door width for lots, with a width equal to or greater than 12.5 metres but less than 14.0 metres shall be 5.5 metres;
 - b) for lots greater than 14.0 metres wide the maximum cumulative interior garage width shall be 6.4 metres or 50% of the dwelling unit width whichever is greater;
 - c) a three bay garage shall be permitted on a corner lot when accessed from the exterior side yard;
 - d) the garage door width may be widened by an extra 0.6 metres if the front of the garage projects 2.5 metres or less beyond the ground floor main entrance of the dwelling unit;
 - e) the garage door width restriction does not apply to a garage door facing the exterior lot line; and
 - f) the interior garage width, as calculated 3.0 metres from the garage opening shall be a maximum 0.9 metres greater than the maximum cumulative garage door width permitted on the lot;
- (12) Notwithstanding Section 13.5.2.j.2 a garage may face the flankage lot line;
- (13) The following shall apply to a bay, bow or box window:
 - a) Notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
 - b) Notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
 - c) A bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and
 - A bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;
- (14) Notwithstanding Section 6.13 Table 6.13.A a porch, balcony and deck is permitted in the interior side yard;
- (15) The driveway width shall not exceed the exterior width of the garage;
- (16) 80 square metres of at grade outdoor amenity space must be provided within the rear yard, and/or interior side yard and/or exterior side yard:

- 2226.3 Shall also be subject to the requirements and restrictions relating to the R1F-12.5 zone and all the general provisions of this by-law, which are not in conflict with those set out in Section 2226.2.
- 2227 The lands designated R1F-9.0 Section 2227 on Schedule A to this by-law;
- 2227.1 Shall only be used for the purposes permitted in a R1F-9.0 zone;
- 2227.2 Shall be subject to the following requirements and restrictions:
 - Minimum Lot Area: Interior Lot –225.0 square metres; Corner Lot – 255.0 square metres;
 - Minimum Lot Width: Interior Lot – 9.0 metres; Corner Lot – 10.8 metres;
 - (3) Minimum Lot Depth: 25.0 metres;
 - (4) Minimum Front Yard Depth:
 - a) 3.0 metres;
 - b) 5.5 metres to a garage door facing the front lot line;
 - c) 4.5 metres to the front of a garage from a daylight rounding/triangle;
 - d) the main wall of a dwelling may encroach into the front yard to within 1.0 metres of a daylight rounding/triangle;
 - e) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard;
 - f) a porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding/triangle;
 - g) a bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum front yard;
 - h) a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding/triangle; and
 - i) 5.5 metres to one garage and 1.0 metres to the second garage for a staggered two car garage on lots 11.0m and greater;
 - (5) Minimum Exterior Side Yard:
 - a) 3.0 metres
 - b) 1.2 metres where the exterior side yard abuts a public or private lane;
 - c) 5.5 metres to a garage door facing the exterior side yard for corner lots 11.0 metres or greater;
 - d) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding/triangle;
 - e) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard;
 - f) a porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach into

the exterior side yard to within 0.0 metres of a daylight rounding triangle;

- g) a bay window, bow window or box window with or without foundation and a porch or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding/triangle;
- h) a bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum exterior side yard; and
- i) for corner lots with a 1.2 metres exterior side yard adjacent to a lane, the maximum encroachment of any type into an exterior side yard shall be 0.5 metres;
- (6) Minimum Rear Yard Setback:
 - a) 6.0 metres for an interior lot;
 - b) 3.0 metres for a corner lot provided that not less than 50% of the unit width is setback 6.0 metres from the rear lot line;
 - c) 3.5 metres to a walkout balcony or uncovered terrace on the second storey, or wood deck off the main floor;
 - d) 0.6 metres to an accessory building and/or to the side wall of a garage, where access to the garage is from the exterior side yard for lots greater than 11.0 metres;
 - e) 4.5 metres for open roofed porches and or uncovered terraces not exceeding one storey; and
 - f) a bay window, bow window or box window with or without foundation and a porch or cold cellar may encroach1.0 metres into the minimum rear yard;
- (7) Minimum Interior Side Yard:
 - a) 1.2 metres on one side and 0.6 metres on the other side provided that the combined total for interior each lot is 1.8 metres;
 - b) Interior side yards between two lots can be paired at 0.6 metres per paired lots, and or 1.2 metres and 0.6 metres per paired lots and or at 1.2 metres and 1.2 metres per paired lots;
 - c) 1.2 metres where the side yard abuts a public walkway or a non-residential zone;
 - d) 0.6 metres for a corner lot abutting another interior lot with a side yard of 0.6 metres, for a total of 1.2 metres between buildings;
 - e) 0.3 metres to a porch and or balcony with or without foundation or cold cellar;
 - f) 0.6 metres to an accessory building; and
 - g) 0.7 metres to a bay, bow, or box window with or without foundation or cold cellar;
- (8) Maximum Building Height 11.0 metres
- (9) Minimum Landscaped Open Space:
 - a) those portions of all yards not occupied by permitted structures, accessory structures, permitted encroachments and permitted driveway shall consist of landscaped Open Space;
- (10) No garage may project more than 1.5 metres beyond the porch or front wall of a dwelling;
- (11) The following provisions apply to garages:
 - a) the maximum cumulative garage door width for lots, with a lot width less than 10.4 metres shall be 3.7 metres;

- b) the maximum cumulative garage door width for lots, with a lot width equal to or greater than 10.4 metres but less than 11.0 metres shall be 4.6 metres;
- c) the maximum cumulative garage door width for lots, with a lot width equal to or greater than 11.0 metres but less than 12.5 metres shall be 5.0 metres;
- d) the maximum cumulative garage door width for lots, with a lot width equal to or greater than 12.5 metres but less than 14.0 metres shall be 5.5 metres;
- e) for lots greater than 14.0 metres wide the maximum cumulative interior garage width shall be 6.4 metres or 50% of the dwelling unit width whichever is greater;
- f) a two bay garage shall be permitted on a corner lot when accessed from the front yard for lots 11.0 metres or greater;
- g) a three bay garage shall be permitted on a corner lot when accessed from the exterior side yard for corner lots greater than 11.0 metres;
- h) the garage door width may be widened by an extra 0.6 metres if the front of the garage projects 2.5 metres or less beyond the ground floor main entrance of the dwelling unit;
- i) the garage door width restriction does not apply to a garage door facing the exterior lot line; and
- the interior garage width, as calculated 3.0 metres from the garage opening shall be a maximum 0.9 metres greater than the maximum cumulative garage door width permitted on the lot;
- (12) Notwithstanding Section 13.5.2.j.2 a garage may face the flankage lot line;
- (13) The following shall apply to a bay, bow or box window:
 - a) Notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
 - b) Notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
 - c) A bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and
 - A bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;
- (14) Notwithstanding Section 6.13 Table 6.13.A a porch, balcony and deck is permitted in the interior side yard;
- (15) Notwithstanding Section 10.9.1B.1 the following shall apply:a) the minimum driveway width shall be 2.75 metres;
- (16) The driveway width shall not exceed the exterior width of the garage;
- 2227.3 Shall also be subject to the requirements and restrictions relating to the R1F-9.0 zone and all the general provisions of this by-law, which are not in conflict with those set out in Section 2227.2.
- 2228 The lands designated R1F-9.0 Section 2228 on Schedule A to this by-law;

- 2228.1 Shall only be used for the purposes permitted in a R1F-9.0 zone;
- 2228.2 Shall be subject to the following requirements and restrictions:
 - Minimum Lot Area: Interior Lot –225.0 square metres; Corner Lot – 255.0 square metres;
 - Minimum Lot Width:
 Interior Lot 9.0 metres;
 Corner Lot 10.8 metres;
 - (3) Minimum Lot Depth: No minimum required;
 - (4) Minimum Front Yard Depth:
 - a) 3.0 metres;
 - b) 5.5 metres to a garage door facing the front lot line;
 - c) 4.5 metres to the front of a garage from a daylight rounding/triangle;
 - d) the main wall of a dwelling may encroach into the front yard to within 1.0 metre of a daylight rounding/triangle;
 - e) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard;
 - f) a porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding/triangle;
 - g) a bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum front yard;
 - h) a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding/triangle; and
 - i) 5.5 metres to one garage and 1.0 metres to the second garage for a staggered two car garage on lots 11.0m and greater;
 - (5) Minimum Exterior Side Yard:
 - a) 3.0 metres
 - b) 1.2 metres where the exterior side yard abuts a public or private lane;
 - c) 5.5 metres to a garage door facing the exterior side yard for corner lots 11.0 metres or greater;
 - d) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding/triangle;
 - e) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard;
 - f) a porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding triangle;
 - g) a bay window, bow window or box window with or without foundation and a porch or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding/triangle;
 - h) a bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum exterior side yard; and

- i) for corner lots with a 1.2 metres exterior side yard adjacent to a lane, the maximum encroachment of any type into an exterior side yard shall be 0.5 metres;
- (6) Minimum Rear Yard Setback:
 - a) 3.0 metres for an interior lot;
 - b) 3.0 metres for a corner lot
 - c) 1.5 metres to a rear yard for a walkout balcony or uncovered terrace on the second storey, or wood deck off the main floor, or an open roofed porch and or uncovered terrace not exceeding one storey;
 - d) 0.6 metres to an accessory building and/or to the side wall of a garage, where access to the garage is from the exterior side yard for lots greater than 11.0 metres; and
 - e) a bay window, bow window or box window with or without foundation and a porch or cold cellar may encroach 1.0 metre into the minimum rear yard;
- (7) Minimum Interior Side Yard:
 - a) 1.2 metres on one side and 0.6 metres on the other side provided that the combined total for each interior lot is 1.8 metres;
 - b) Interior side yards between two lots can be paired at 0.6 metres per paired lots, and or 1.2 metres and 0.6 metres per paired lots and or at 1.2 metre and 1.2 metres per paired lots;
 - c) 1.2 metres where the side yard abuts a public walkway or a non-residential zone;
 - d) 0.6 metres for a corner lot abutting another interior lot with a side yard of 0.6 metres, for a total of 1.2 metres between buildings;
 - e) 0.3 metres to a porch and or balcony with or without foundation or cold cellar;
 - f) 0.6 metres to an accessory building; and
 - g) 0.7 metres to a bay, bow, or box window with or without foundation or cold cellar;
- (8) Maximum Building Height 11.0 metres
- (9) Minimum Landscaped Open Space:
 - a) those portions of all yards not occupied by permitted structures, accessory structures, permitted encroachments and permitted driveway shall consist of landscaped Open Space;
- (10) No garage may project more than 1.5 metres beyond the porch or front wall of a dwelling;
- (11) The following provisions apply to garages:
 - a) the maximum cumulative garage door width for lots, with a lot width less than 10.4 metres shall be 3.7 metres;
 - b) the maximum cumulative garage door width for lots, with a lot width equal to or greater than 10.4 metres but less than 11.0 metres shall be 4.6 metres;
 - c) the maximum cumulative garage door width for lots, with a lot width equal to or greater than 11.0 metres but less than 12.5 metres shall be 5.0 metres;
 - d) the maximum cumulative garage door width for lots, with a lot width equal to or greater than 12.5 metres but less than 14.0 metres shall be 5.5 metres;

- e) for lots greater than 14.0 metres wide the maximum cumulative interior garage width shall be 6.4 metres or 50% of the dwelling unit width whichever is greater;
- f) a two bay garage shall be permitted on a corner lot when accessed from the front yard for lots 11.0 metres or greater;
- g) a three bay garage shall be permitted on a corner lot when accessed from the exterior side yard for corner lots greater than 11.0 metres;
- h) the garage door width may be widened by an extra 0.6 metres if the front of the garage projects 2.5 metres or less beyond the ground floor main entrance of the dwelling unit;
- i) the garage door width restriction does not apply to a garage door facing the exterior lot line; and
- j) the interior garage width, as calculated 3.0 metres from the garage opening shall be a maximum 0.9 metres greater than the maximum cumulative garage door width permitted on the lot;
- (12) Notwithstanding Section 13.5.2.j.2 a garage may face the flankage lot line;
- (13) The following shall apply to a bay, bow or box window:
 - a) Notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
 - b) Notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
 - c) A bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and
 - A bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;
- (14) Notwithstanding Section 6.13 Table 6.13.A a porch, balcony and deck is permitted in the interior side yard;
- (15) Notwithstanding Section 10.9.1B.1 the following shall apply:a) the minimum driveway width shall be 2.75 metres;
- (16) The driveway width shall not exceed the exterior width of the garage;
- (17) 60 square metres of at grade outdoor amenity space must be provided within the rear yard, and/or interior side yard and/or exterior side yard:
- 2228.3 Shall also be subject to the requirements and restrictions relating to the R1F-9.0 zone and all the general provisions of this by-law, which are not in conflict with those set out in Section 2228.2.
- 2229 The lands designated R2E-7.2 Section 2229 on Schedule A to this by-law;
- 2229.1 Shall only be used for the purposes permitted in a R2E-7.2 zone;
- 2229.2 Shall be subject to the following requirements and restrictions:
 - (1) Minimum Lot Area:

Interior Lot –175.0 square metres; Corner Lot – 220.0 square metres;

- Minimum Lot Width: Interior Lot – 7.2 metres; Corner Lot – 9.0 metres;
- (3) Minimum Lot Depth: 25.0 metres;
- (4) Minimum Front Yard Depth:
 - a) 3.0 metres;
 - b) 5.5 metres to a garage door facing the front lot line;
 - c) 4.5 metres to the front of a garage from a daylight rounding/triangle;
 - d) the main wall of a dwelling may encroach into the front yard to within 1.0 metres of a daylight rounding/triangle;
 - e) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard;
 - f) a porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding/triangle;
 - g) a bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum front yard; and
 - h) a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding/triangle;
- (5) Minimum Exterior Side Yard:
 - a) 3.0 metres
 - b) 1.2 metres where the exterior side yard abuts a public or private lane;
 - c) 5.5 metres to a garage door facing the exterior side yard for corner lots 11.0 metres or greater;
 - d) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding/triangle;
 - e) a porch and/or balcony with or without foundation or cold cellar including eaves and cornices and chimney may encroach 2.0 metres into the minimum exterior side yard;
 - f) a porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding/triangle;
 - g) a bay window, bow window or box window with or without foundation and a porch or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding/triangle
 - h) a bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum exterior side yard; and
 - a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding/triangle;
 - j) for corner lots with a 1.2 metres exterior side yard adjacent to a lane, the maximum encroachment of any type into an exterior side yard shall be 0.5 metres;

- (6) Minimum Rear Yard:
 - a) 6.0 metres for an interior lot;
 - b) 3.0 metres for a corner unit provided that not less than 50% of the unit width is setback 6.0 metres from the rear lot line;
 - c) 3.5 metres to a walkout balcony or uncovered terrace on the second storey or a wood deck off the main floor;
 - d) 0.6 metres to an accessory building and/or to the side wall of a garage, where access to the garage is from the exterior side yard;
 - e) a bay window, bow window or box window with or without foundation and a porch or cold cellar may encroach1.0 metres into the rear yard; and
 - f) Section 10.13.3 shall not apply;
- (7) Minimum Interior Side Yard:
 - a) 1.2 metres and 0.0 metres when abutting side lot line coincides with a common wall between two dwellings;
 - b) 0.3 metres to a porch and or balcony with or without foundation or cold cellar;
 - c) 0.6 metres to an accessory building; and
 - d) 0.7 metres to a bay, bow, or box window with or without foundation or cold cellar;
- (8) Maximum Building Height 14.0 metres
- (9) Minimum Landscaped Open Space:
 - a) those portions of all yards not occupied by permitted structures, accessory structures, permitted encroachments and permitted driveway shall consist of landscaped Open Space;
- (10) No garage may project more than 1.5 metres beyond the porch or front wall of a dwelling;
- (11) The following provisions apply to garages:
 - a) the maximum cumulative garage door width for lots, with a lot width equal to 7.2 metres but less than 9.0 metres shall be 3.7 metres;
 - b) the maximum cumulative garage door width for lots, with a lot width equal to or greater than 9.0 metres but less than 11.0 metres shall be 4.6 metres;
 - c) the maximum cumulative garage door width for lots, with a lot width equal to or greater than 11.0 metres but less than 12.5 metres shall be 5.0 metres;
 - d) the maximum cumulative garage door width for lots, with a lot width equal to or greater than 12.5 metres but less than 14.0 metres shall be 5.5 metres;
 - e) for lots greater than 14.0 metres wide the maximum cumulative interior garage width shall not exceed 50% of the dwelling unit width or 6.4 metres whichever is greater;
 - f) 5.5 metres for a garage door for a corner unit equal to or greater than 9.0 when the main entrance to the dwelling is from the exterior side yard;
 - g) a two bay garage shall be permitted on a corner lot when accessed from the front yard for lots greater than 11.0 metres;
 - h) a three bay garage shall be permitted on a corner lot when accessed from the exterior side yard for corner lots greater than 11.0 metres;

- i) the garage door width may be widened by an extra 0.6 metres if the front of the garage projects 2.5 metres or less beyond the ground floor main entrance of the dwelling unit;
- j) the garage door width restriction does not apply to a garage door facing the exterior lot line; and
- k) the interior garage width, as calculated 3.0 metres from the garage opening shall be a maximum 0.9 metres greater than the maximum cumulative garage door width permitted on the lot;
- (12) Notwithstanding Section 15.8.2.k.2 a garage may face the flankage lot line;
- (13) The following shall apply to a bay, bow or box window:
 - a) Notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
 - b) Notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
 - c) A bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and
 - A bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;
- (14) Notwithstanding Section 6.13 Table 6.13.A a porch, balcony and deck is permitted in the interior side yard;
- (15) Notwithstanding Section 10.9.1B.1 the following shall apply:a) the minimum driveway width shall be 2.75 metres;
- (16) The driveway width shall not exceed the exterior width of the garage;
- (17) Section 10.12 shall not apply;
- 2229.3 Shall also be subject to the requirements and restrictions relating to the R2E-7.2 zone and all the general provisions of this by-law, which are not in conflict with those set out in Section 2229.2.
- 2230 The lands designated R3E-5.5 Section 2230 on Schedule A to this by-law;
- 2230.1 Shall only be used for the purposes permitted in a R3E-5.5 zone;
- 2230.2 Shall be subject to the following requirements and restrictions:

 (1) Minimum Lot Area: Interior Lot –129.0 square metres; Corner Lot – 185.0 square metres; End Lot - 155.0 square metres;
 - Minimum Lot Width:
 Interior Lot 5.5 metres;
 Corner Lot 8.5 metres;
 End Lot 6.7 metres;
 - (3) Minimum Lot Depth: 23.5 metres;
 - (4) Minimum Front Yard Depth:

- a) 3.0 metres;
- b) 5.5 metres to garage door facing the front lot line;
- c) 4.5 metres to the front of the garage from a daylight rounding/triangle;
- d) the main wall of a dwelling may encroach into the front yard to within 1.0 metres of a daylight rounding/triangle;
- e) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard;
- f) a porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding/triangle;
- g) a bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum front yard; and
- h) a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding/triangle;
- (5) Minimum Exterior Side Yard:
 - a) 3.0 metres
 - b) 1.2 metres where the exterior side yard abuts a public or private lane;
 - c) 5.5 metres to a garage door facing the exterior side yard for corner lots 11.0 metres or greater;
 - d) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding/triangle;
 - e) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard;
 - f) a porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding/triangle;
 - g) a bay window, bow window or box window with or without foundation and a porch or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding/triangle;
 - h) a bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum exterior side yard; and
 - i) for corner lots with a 1.2 metres exterior side yard adjacent to a lane, the maximum encroachment of any type into an exterior side yard shall be 0.5 metres;
- (6) Minimum Rear Yard
 - a) 5.0 metres for an interior lot;
 - b) 3.0 metres for a corner lot provided that not less than 50% of the unit width is setback 5.0 metres from the rear lot line;
 - c) 3.5 metres to a walkout balcony or uncovered terrace on the second storey, or wood deck off the main floor;
 - d) 0.6 metres accessory building and/or to the side wall of a garage, where access to the garage is from the exterior side yard;
 - e) a bay window, bow window or box window with or without foundation and a porch or cold cellar may encroach1.0 metres into the rear yard; and
 - f) Section 10.13.3 shall not apply;

- (7) Minimum Interior Side Yard:
 - a) 1.2 metres and 0.0 metres when abutting side lot line coincides with a common wall between two dwellings;
 - b) 0.6 metres to an accessory building; and
 - c) 0.7 metres to a bay, bow, or box window with or without foundation or cold cellar;
- (8) Maximum Building Height 14.0 metres;
- (9) Notwithstanding Section 16.10.2.d, no minimum dwelling unit width required;
- (10) Minimum Landscaped Open Space:
 - a) those portions of all yards not occupied by permitted structures, accessory structures, permitted encroachments and permitted driveway shall consist of landscaped Open Space;
- (11) No garage may project more than 1.5 metres beyond the porch or front wall of a dwelling;
- (12) The following provisions apply to garages:
 - a) the maximum cumulative garage door width for interior lots, with a lot width less than 6.0 metres shall be 3.7 metres;
 - b) the maximum cumulative garage door width for interior lots, with a lot width equal to 6.0 metres but less than 9.8 metres shall be 4.6 metres;
 - c) the maximum cumulative garage door width for interior lots, with a lot width equal to 9.8 metres but less than 10.7 metres shall be 5.0 metres;
 - d) the maximum cumulative garage door width for interior, lots equal to 10.7 metres but less than 12.2 metres shall be 5.5 metres;
 - e) the maximum cumulative garage door width for corner lot, with a lot width equal to or greater than 6.0 metres shall be 5.5 metres;
 - f) a two bay garage shall be permitted on a corner lot;
 - g) the garage door width may be widened by an extra 0.6 metres if the front of the garage projects 2.5 metres or less beyond the ground floor main entrance of the dwelling unit;
 - h) the garage door width restriction does not apply to a garage door facing the exterior lot line; and
 - the interior garage width, as calculated 3.0 metres from the garage opening shall be a maximum 0.9 metres greater than the maximum garage door width permitted on the lot;
- (13) Notwithstanding Section 16.10.2.k.2 a garage may face the flankage lot line;
- (14) The following shall apply to a bay, bow or box window:
 - a) Notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
 - b) Notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
 - c) A bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and

- A bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;
- (15) Notwithstanding Section 6.13 Table 6.13.A a porch, balcony and deck is permitted in the interior side yard;
- (16) Notwithstanding Section 10.13.2 the following shall apply:
 - a) front to rear yard access shall be permitted via non habitable rooms and with more than a two step grade difference;
- (17) Notwithstanding Section 10.9.1B.1 the following shall apply:a) the minimum driveway width shall be 2.75 metres;
- (18) The driveway width shall not exceed the exterior width of the garage;
- (19) Section 10.12 shall not apply;
- 2230.3 Shall also be subject to the requirements and restrictions relating to the R3E-5.5 zone and all the general provisions of this by-law, which are not in conflict with those set out in Section 2230.2.
- 2231 The lands designated R3E-4.4 Section 2231 on Schedule A to this by-law;
- 2231.1 Shall only be used for the purposes permitted in a R3E-4.4 zone;

2231.2 Shall be subject to the following requirements and restrictions:(1) Minimum Lot Area:

- Interior Lot –70.0 square metres; Corner Lot – 110.0 square metres; End Lot – 90.0 square metres;
- Minimum Lot Width:
 Interior Lot 4.4 metres;
 Corner Lot 7.4 metres;
 End Lot 5.6 metres;
- (3) Minimum Lot Depth: 16.9 metres;
- (4) Minimum Front Yard Depth:a) 0.0 metres;
- (5) Minimum Exterior Side Yard:
 - a) 3.0 metres
 - b) 1.2 metres where the exterior side yard abuts a public or private lane;
 - c) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding/triangle;
 - a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard;
 - e) a porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding/ triangle;
 - f) a bay window, bow window or box window with or without foundation and a porch or cold cellar including

eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding/triangle;

- g) a bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum exterior side yard; and
- h) for corner lots with a 1.2 metres exterior side yard adjacent to a lane, the maximum encroachment of any type into an exterior side yard shall be 0.5 metres;
- (6) Minimum Rear Yard:
 - a) No minimum rear yard depth shall apply, except when a garage door is accessed by a rear lane, then the minimum setback to a garage door is 1.0m metres;
- (7) Minimum Interior Side Yard:
 - a) 1.2 metres and 0.0 metres when abutting side lot line coincides with a common wall between two dwellings;b) 0.5 metres to a detached garage;
 - c) 0.0 metres when abutting side lot line coincides with a common wall between two garages;
 - d) 0.5 metres into the 1.2 metre interior side yard for a bay window, bow window, or box window with or without foundation or cold cellar;
 - e) 0.6 metres to an accessory building, except for a detached garage; and
 - f) 0.7 metres to a bay, bow, or box window with or without foundation or cold cellar;
- (8) Maximum Building Height 14.0 metres
- (9) Notwithstanding Section 16.10.2.d, no minimum dwelling unit width required;
- (10) Minimum Landscaped Open Space:
 - a) those portions of all yards not occupied by permitted structures, accessory structures, permitted encroachments and permitted driveway shall consist of landscaped Open Space;
- (11) Maximum Lot Coverage no requirement;
- (12) Minimum Amenity Area:
 - a) 5.0 square metres shall be provided either on a balcony/uncovered terrace on the second or third floor, or in the rear yard at ground level;
- (13) The following provisions apply to garages:
 - a) a garage door width shall not exceed the width of any unit or main wall of a dwelling; and
 - b) notwithstanding Section 10.4.1 (g) a detached garage may exceed 24 square metres;
- (14) The following shall apply to a bay, bow or box window:
 - a) Notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
 - b) Notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
 - c) A bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and

- A bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;
- (15)Notwithstanding Section 6.13 Table 6.13.A a porch, balcony and deck is permitted in the interior side yard;
- (16) Notwithstanding Section 10.13.2 front to rear yard pedestrian access through the dwelling unit does not need to be provided;
- (17) Section 10.13.3 shall not apply;
- (18) Notwithstanding Section 10.9.1B.1 the following shall apply:
 - a) the minimum driveway width shall be 2.75 metres and the maximum width of the driveway shall not exceed the width of any unit;
- (19) The driveway width shall not exceed the width of the lot;
- (20) Section 10.12 shall not apply;
- (21)Notwithstanding Sections 10.9.1 A and 10.9.1.B.7, the following shall apply:
 - a) a minimum of 1 parking space for each residential unit shall be provided on each lot;
- (22) Section 10.9.1.4) shall not apply;
- (23) Air conditioning units are permitted to be located on a balcony or uncovered terrace;
- (24) A public/private lane is deemed to be a street for zoning purposes;
- (25) For zoning purposes the rear lot line is deemed to be the lot line abutting a public/private lane;
- (26) For zoning purposes, when a lot abuts an open space zone (OS), the lot line abutting the open space zone shall be deemed to be the front lot line, and the lot line abutting a laneway shall be deemed to be the rear lot line.
- 2231.3 Shall also be subject to the requirements and restrictions relating to the R3E-4.4 zone and all the general provisions of this by-law, which are not in conflict with those set out in Section 2231.2.
- 2232 The lands designated I1 SECTION 2232 on Schedule A to this by-law:
- 2232.1 Shall only be used for the purposes permitted by the I1, and the following permitted purposes:
 - (1) R1F-12.5-SECTION 2225, R1F-9.0-SECTION 2227, R2E-7.2-SECTION 2229, R3E-5.5-SECTION-2230, and R3E-4.4-SECTION 2231;
- 2232.2 Shall be subject to the requirements and restrictions relating to the I1, R1F-12.5, R1F-9.0 R2E–7.2, R3E-5.5, R3E-4.4, and R3E-7.0 zones and the general provisions of this by-law not in conflict with those sections 2225.2, 2227.2, 2229.2, 2230.2, and 2231.2

- Infrastructure for various utilities shall be exempt from the requirements and restrictions of Section 2232.2, except that a minimum 3.0 metre setback from the front lot line is required;
- 2232.3 Shall also be subject to the requirements and restrictions relating to the I1 zone and all the general provisions of this by-law, which are not in conflict with those set out in Section 2232.2.
- 2233 The lands designated C1–SECTION 2233 on Schedule A to this by-law;
- 2233.1 Shall only be used for the following purposes:
 - (1) an animal hospital and or a veterinary clinic ;
 - (2) a bank, trust company, or finance company with or without drive-through facility;
 - (3) a commercial school;
 - (4) a convenience store;
 - (5) a dining room restaurant, a convenience restaurant, a take-out restaurant;
 - (6) a dry cleaning establishment and laundry distribution station;
 - (7) a grocery store;
 - (8) a Group Home Type 2;
 - (9) a laundromat;
 - (10) a library;
 - (11) an office;
 - (12) a parking lot;
 - (13) a personal service shop;
 - (14) a place of worship;
 - (15) a retail establishment having no outside storage;
 - (16) a service shop;
 - (17) a daycare facility; and
 - (18) purposes accessory to the other permitted purposes.
- 2233.2 Shall be subject to the following requirements and restrictions:
 - (2) Minimum Lot Width 21.0 metres
 - (3) Minimum Building Setback from:
 - (i) Creditview Road 3.0 metres
 - (ii) Kempenfelt Trail 3.0 metres
 - (iii) Remembrance Road 1.0 metres
 - (4) Minimum Interior Side Yard Width 1.0 metres
 - (5) Minimum Rear Yard Depth 3.0 metres
 - (6) Where the yard abuts a Residential Zone the minimum building setback shall be 6.0 metres.
 - (7) Maximum Building Height: no requirement
 - (8) Except at approved access locations, landscaped open space shall be provided as follows:
 - (i) a minimum of 3.0 metre wide strip abutting Creditview Road, Kempenfelt Trail;

- (ii) a minimum 1.0 metre wide strip abutting Remembrance Road;
- (iii) a minimum of 1.5 metre wide strip abutting the interior lot lines, except when adjacent to a masonry wall, then no landscaped strip is required;
- (9) Refuse storage for restaurant purposes, including any containers for storage of recyclable materials, shall be contained in a climate controlled area within a building;
- (10) For the purposes of this by-law, Creditview Road shall be deemed to be the front yard;
- (11)No outdoor storage shall be permitted;
- (12) The requirement of providing a loading space shall not apply, provided that the gross floor area of any individual unit for a permitted commercial use does not exceed 465 metres²;
- (13) Infrastructure for various utilities shall be exempt from the requirements and restrictions of Section 2233.2
- 2233.3 Shall also be subject to the requirements and restrictions relating to the C1 zone and the general provisions of this by-law not in conflict with those set out in Section 2233.2.
- 2224 The lands designated C3 SECTION 2224 on Schedule A to this by-law;
- 2234.1 Shall only be used for the following purposes:
 - (1) an amusement arcade;
 - (2) an animal hospital and or a veterinary clinic;
 - (3) a bank, trust company, or finance company with or without drive-through facility;
 - (4) a commercial school;
 - (5) a community club;
 - (6) a convenience store;
 - (7) a custom workshop;
 - (8) a daycare facility;
 - (9) A day nursery;
 - (10) a dining room restaurant, a convenience restaurant, a take-out restaurant;
 - (11) a dry cleaning establishment and laundry distribution station;
 - (12) a garden centre sales establishment with outdoor storage;
 - (13) a health or fitness centre;
 - (14) a laundromat;
 - (15) an office;
 - (16) a parking lot;
 - (17) a personal service shop;
 - (18) a place of commercial recreation;
 - (19) a place of worship;
 - (20) a printing or copying establishment;
 - (21) a retail establishment having no outside storage;
 - (22) a service shop;
 - (23) a service station or gas bar;
 - (24) a supermarket;

-23-


- (25) a swimming pool sales and service establishment;
- (26) a tavern;
- (27) a taxi or bus station;
- (28) a temporary open air market;
- (29) a retail warehouse; and
- (30) purposes accessory to the other permitted purposes.
- 2234.2 Shall be subject to the following requirements and restrictions:
 - (1) Minimum Lot Width -21.0 metres
 - (2) Minimum Building Setback from:
 - (i) Mayfield Road 3.0 metres
 - (ii) Mississauga Road 3.0 metres
 - (iii) Veterans Drive 3.0 metres
 - (3) Minimum Interior Side Yard Width 3.0 metres
 - (4) Minimum Rear Yard Depth 3.0 metres
 - (5) Where the yard abuts a Residential Zone the minimum building setback shall be 6.0 metres.
 - (6) Maximum Building Height: no requirement
 - (7) Except at approved access locations, landscaped open space shall be provided as follows:
 - (i) a minimum of 3.0 metre wide strip abutting Mississauga Road, Mayfield Road and Veterans
 - a minimum of 1.5 metre wide strip abutting the interior lot lines, except when adjacent to a masonry wall, then no landscaped strip is required;
 - (8) Refuse storage for restaurant purposes, including any containers for storage of recyclable materials, shall be contained in a climate controlled area within a building;
 - (9) A service station or gas bar may only be located at the south west corner of Mayfield Road and Veterans Drive;
 - (10) No outdoor storage shall be permitted, except for a garden centre;
 - (11) Parking shall be provided at one space per 19 square metres of gross commercial floor area;
 - (12) For the purposes of this by-law, Mississauga Road shall be deemed to be the front yard;
 - (13) The requirement of providing a loading space shall not apply, provided that the gross floor area of any individual unit for a permitted commercial use does not exceed 465 metres²;
 - (14) A pool hall, an adult video store, an adult entertainment parlour shall not be permitted;
 - (15) Infrastructure for various utilities, shall be exempt from the requirements and restrictions of Section III.2


- -24-
- 2234.3 Shall also be subject to the requirements and restrictions relating to the C3 zone and the general provisions of this by-law not in conflict with those set out in Section 2234.2.
- 2235 The lands designated HC1–SECTION 2235 on Schedule A to this by-law;
- 2235.1 Shall only be used for the following purposes:
 - (1) a hotel or motel;
 - a motor vehicle or boat sales, rental, leasing or service establishment, a motor vehicle repair shop, a motor vehicle or boat parts and accessories sales establishment;
 - (3) only in conjunction with a motor vehicle sales, rental, leasing or service establishment, a motor vehicle body shop;
 - (4) a parking lot;
 - (5) a dining room restaurant, a convenience restaurant, a take-out restaurant;
 - (6) a tavern;
 - (7) a taxi or bus station;
 - (8) banquet facilities;
 - (9) a community club;
 - (10) a tool and equipment establishment;
 - (11) an animal hospital and or a veterinary clinic;
 - (12) a service station or gas bar;
 - (13) a motor vehicle washing establishment;
 - (14) a retail establishment having no outside storage;
 - (15) a personal service shop;
 - (16) a convenience store
 - (17) a dry cleaning establishment and laundry distribution station;
 - (18) a bank, trust company or financial company;
 - (19) a place of worship; and
 - (20) purposes accessory to the other permitted purposes.


2235.2 Shall be subject to the following requirements and restrictions:

- (1) Minimum Lot Width 21.0 metres;
- (2) Minimum Building Setback from all roads 3.0 metres;
- (3) Minimum Interior Side Yard Width 3.0 metres;
- (4) Minimum Rear Yard Depth 3.0 metres;
- (5) Where the yard abuts a Residential Zone the minimum building setback shall be 6.0 metres;
- (6) Maximum Building Height: no requirement;
- (7) Except at approved access locations, landscaped open space shall be a minimum of 1.5 metre wide strip, except when adjacent to a masonry wall, then no landscaped strip is required;
- (8) Refuse storage for restaurant purposes, including any containers for storage of recyclable materials, shall be contained in a climate controlled area within a building;

By-law 315-2011 -25-(9) No outdoor storage shall be permitted; (10) For the purposes of this by-law, Creditview Road shall be deemed to be the front yard; (11) The requirement of providing a loading space shall not apply, provided that the gross floor area of any individual unit for a permitted commercial use does not exceed 465 square metres; (12) Infrastructure for various utilities shall be exempt from the requirements and restrictions of Section 2235.2 Shall also be subject to the requirements and restrictions 2235.3 relating to the HC1 zone and the general provisions of this by-law not in conflict with those set out in Section 2235.2. READ a FIRST, SECOND and THIRD TIME, and PASSED in OPEN COUNCIL, this 30th day of November 20.11 giunal Councillor J. Sprovieri Mayor PETER FAY - CITY CLERK Approved as to Content: Dan Kraszewski, MCIP, RPP Director, Land Development Services







IN THE MATTER OF the *Planning Act*, R.S.O. 1990, as amended, section 34;

AND IN THE MATTER OF the City of Brampton By-law 316-2011 to amend Comprehensive Zoning By-law 270-2004, as amended - KLM Planning Partners Inc. -Wanless Developments Inc. et al. (File C04W16.003)

DECLARATION

I, Earl Evans, of the City of Brampton, in the Region of Peel, hereby make oath and say as follows:

- 1. I am the Deputy Clerk of The Corporation of the City of Brampton and as such have knowledge of the matters herein declared:
- 2. By-law 316-2011 was passed by the Council of The Corporation of the City of Brampton at its meeting held on the 30th day of November, 2011;
- 3. Written notice of By-law 316-2011 as required by section 34 of the *Planning Act* persons and agencies prescribed by the *Planning Act*, R.S.O. 1990 as amended;
- 4. No notice of appeal was filed under section 34 of the *Planning Act* on or before the final date for filing objections;
- 5. Zoning By-law 316-2011 is deemed to have come into effect on the 30th day of November, 2011, in accordance with Section 34 of the *Planning Act*, R.S.O. 1990, as amended.

DECLARED before me at the City of Brampton in the Region of Peel this 11th day of January, 2012

Earl Evans

Comi nissioner

Jeanle Cecilia Myers, a Commissioner, etc., Province of Onfario, for the Corporation of the City of Brampton. Expires April 8, 2012.