

Notice of Passing of Zoning By-law 5-2024

10365 The Gore Road

Date of Decision: January 24, 2024 Date of Notice: January 30, 2024 Last Date of Appeal: February 20, 2024

On the date noted above, the Council of the Corporation of the City of Brampton passed By-law 5-2024, to amend Zoning By-law 270-2004, as amended, under Section 34 of the *Planning Act,* R.S.O., c.P.13, pursuant to an application by Glen Schnarr & Associates Inc., on behalf of 10365 Gore Developments Limited (Fieldgate) – Ward 10 (File: OZS-2021-0039).

The Purpose and Effect of the Zoning By-law: To amend the Zoning By-law to permit low to medium density residential uses on the property.

Location of Lands Affected: north of Castlemore Road, east side of The Gore Road, legally described as Toronto Gore Con 10 ND, and municipall known as 10365 The Gore Road.

Obtaining Additional Information: A copy of the by-law is provided. The complete background information is available at the City Clerk's Office during regular office hours, or online at <u>www.brampton.ca</u>. Further enquiries should be directed to Andrew Ramsammy, Planner, Planning, Building and Growth Management Services Department at 905-874-3485 or <u>andrew.ramsammy@brampton.ca</u>.

Any and all written submissions relating to this amendment that were made to Council, and the Planning and Development Committee, before its decision and any and all oral submissions related to these applications that were made at a public meeting, held under the *Planning Act*, have been, on balance, taken into consideration by Council as part of its deliberations and final decision on these matters.

There are no applications under the *Planning Act*, pertaining to the subject lands except for an application for a Draft Plan of Subdivision 21T-21016B.

When and How to File an Appeal: An appeal of the by-law amendment to the Ontario Land Tribunal (OLT) must be filed with the Clerk of the City of Brampton no later than February 20, 2024. An appeal form is available from the OLT website at https://olt.gov.on.ca/appeals-process/forms/



The Notice of Appeal must:

- (1) set out the reasons for appeal; and,
- (2) be accompanied by the fee required by the Ontario Land Tribunal in the amount of \$1,100.00 payable by certified cheque or money order to the Minister of Finance, Province of Ontario. A copy of the Ontario Land Tribunal Fee Schedule may be found at <u>https://olt.gov.on.ca/appeals-process/fee-chart/</u>

Only individuals, corporations and public bodies may appeal a by-law to the Ontario Land Tribunal (OLT). A notice of appeal may not be filed by an unincorporated association or group. However, a notice of appeal may be filed in the name of an individual who is a member of the association or the group on its behalf.

No person or public body shall be added as a party to the hearing of the appeal unless, before the by-law was passed, the person or public body made oral submissions at a public meeting or written submissions to the Council or, in the opinion of the Ontario Land Tribunal, there are reasonable grounds to add the person or public body as a party.

Notice of Appeal may be hand delivered to:

City of Brampton Office of the City Clerk 2 Wellington Street West Brampton, ON L6Y 4R2 Contact: (905) 874-2116



THE CORPORATION OF THE CITY OF BRAMPTON

BY-LAW

Number <u>5</u> - 2024

To amend By-law 270-2004, as amended

The Council of The Corporation of the City of Brampton, in accordance with the provisions of the Planning Act, R.S.O. 1990, c.P. 13, hereby enacts as follows;

- 1. By-law 270-2004, as amended, is hereby further amended:
 - 1) By changing on Schedule A thereto, the zoning designations of the lands as shown outlined on Schedule A to this by-law:

From:	То:
"AGRICULTURAL (A)"	RESIDENTIAL SEMI DETACHED A – R2A – SECTION 3742 (R2A – 3742)
	RESIDENTIAL SINGLE DETACHED F – 11.0 – SECTION 3737 (R1F – 11.0 – 3737)
	RESIDENTIAL TOWNHOUSE E – 7.8 – SECTION 3761 (R3E-7.8-3761)
	RESIDENTIAL TOWNHOUSE E – 6.7 – SECTION 3762 (R3E – 6.7 – 3762)
	RESIDENTIAL TOWNHOUSE E – 6.0 – SECTION 3764 (R3E – 6.0 –3764)
	RESIDENTIAL SINGLE DETACHED F – 9.8 – SECTION 3763 (R1F – 9.8 –3763)
	RESIDENTIAL TOWNHOUSE C – R3C – SECTION 3760 (R3C – 3760)
	RESIDENIAL TOWNHOUSE E – 6.1 – SECTION 3743 (R3E – 6.1 – 3743)
	OPEN SPACE ZONE (OS)
	FLOODPLAIN (F)

2) By adding thereto the following sections:

"3762

Shall only be used for the purposes permitted in an R3E- 6.7 zone; 3762.1

3762.2

Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Width	Interior Lot:6.7 metres
	Corner Lot: 9.7 metres
	End Lot: 8.4 metres
(2) Minimum Lot Area per dwelling	Interior Lot: 160 square metres
unit	End Lot: 200 square metres
	Corner Lot: 210 square metres
(3) Minimum Front Yard	a) 3.0 metres but 6.0 metres to a garage door
	 b) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps;
	 c) a bay window, bow window, box window with or without foundation may encroach 1.0 metres into the minimum front yard;
(4) Minimum Rear Yard Depth	6.0 metres
(5) Maximum Building Height	14 metres
(6) The following provisions shall apply to garages:	 a) Notwithstanding Section 16.10.2(k)(2), for corner lots, a garage door may face the flankage lot line.
	 a) minimum interior garage dimension shall measure 6.0 metres interior length by 3.1 metres minimum interior width.
	 b) No encroachment shall be permitted into a required parking space within a garage, except for one step (2 risers) into the minimum garage length;
(7) The Following shall apply to a bay, bow or box window:	 a) notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
	 b) notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
	 c) a bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and
	 a bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;
(8) Encroachments	a) permitted yard encroachment of exterior stairs below grade may encroach into rear yard 2.5 metres;

	 b) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;
	 c) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps;
	 a bay window, bow window or box window with or without foundation may encroach 1 .0 metres into the minimum exterior side yard and within 0.0 metres of a daylight rounding or triangle;
(9) Notwithstanding Section 10.13.2 the dwelling unit does not need to	, front to rear pedestrian access through o be provided.
(10) Maximum Lot Coverage	No Requirements
(11) Minimum Amenity Area	3.5 square metres shall be provided either on a balcony/uncovered terrace on the second or third floor, or at ground level.
	"

"3761 The lands de	esignated R3E- 7.8 - 3761	on Schedule A to this bylaw:

- 3761.1 Shall only be used for the purposes permitted in an R3E– 7.8 zone anda) Dwelling, Rear Lane Townhouse
- 3761.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Width	Interior Lot:7.8 metres End Lot: 9.5 metres Corner Lot: 9.8 metres
(2) Minimum Lot Area	Interior Lot: 190 square metres End Lot: 210 square metres Corner Lot: 215 square metres
(3) Minimum Lot Depth	23.0 metres
(4) Minimum Front Yard	 a) 3.0 metres; b) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps; c) a bay window, bow window, box window with or without foundation may encroach 1.0 metres into the minimum front yard;
(5) Minimum Rear Yard Depth	3.0 metres to dwelling6.0 metres to garage
(6) Maximum Building Height	14 metres
(7) The following provisions shall apply to garages:	a) Notwithstanding Section 16.10.2(k)(2), for corner lots, a

	garage door may face the flankage lot line.
	 b) minimum interior garage dimension shall measure 6.0 metres interior length by 3.1 metres minimum interior width.
	 No encroachment shall be permitted into a required parking space within a garage, except for one step (2 risers) into the minimum garage length;
(8) The following shall apply to a bay, bow or box window:	 a) notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
	 b) notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
	 c) a bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and
	 d) a bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;
(9) Encroachments	a) permitted yard encroachment of exterior stairs below grade may encroach into rear yard 2.5 metres
	 b) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;
	 c) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps;
	 d) a bay window, bow window or box window with or without foundation may encroach 1.0 metres into the minimum exterior side yard and within 0.0 metres of a daylight rouding or triangle;
(10) Notwithstanding Section 10.7 through the dwelling unit does not	13.2, front to rear pedestrian access ot need to be provided.
(11) Maximum Lot Coverage	No Requirements
(12) Minimum Amenity Area	3.5 square metres shall be provided either on a balcony/uncovered terrace on the second or third floor, or at ground level.
	<u> </u>

"3764The lands designated R3E- 6.0 - 3764 on Schedule A to this bylaw:3764.1Shall only be used for the purposes permitted in an R3E- 6.0 zone and

a) Dwelling, Back-to-Back Townhouse

3764.2

Shall be subject to the following requirements and restrictions:

(1) Minimum Lat Midth	laterian Let. Construct
(1) Minimum Lot Width	Interior Lot: 6 metres
	End Lot: 7.2 metres
	Corner Lot: 9 metres
(2) Minimum Lot Area per dwelling	Interior Lot: 70 square metres
unit	End Lot: 85 square metres
	Corner Lot: 100 square metres
(3) Minimum Lot Depth	12 metres
(4) Minimum Front Yard	a) 3.0 metres, but 6.0 metres to a garage door
	 b) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps;
	 c) a bay window, bow window, box window with or without foundation may encroach 1.0 metres into the minimum front yard;
(5) Minimum Rear Yard Depth	0 metres
(6) Maximum Building Height	14 metres
(7) The following provisions shall apply to garages:	 a) Notwithstanding Section 16.10.2(k)(2), or corner lots, a garage door may face the flankage lot line.
	 b) minimum interior garage dimension shall measure 6.0 metres interior length by 3.1 metres minimum interior width.
	 c) No encroachment shall be permitted into a required parking space within a garage, except for one step (2 risers) into the minimum garage length;
(8) The Following shall apply to a bay, bow or box window:	 a) notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
	 b) notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
	 c) a bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and
	 d) a bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;

a)	permitted yard encroachment of exterior stairs below grade may encroach into rear yard 2.5 metres;
b)	the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;
c)	a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps;
d)	a bay window, bow window or box window with or without foundation may encroach 1 .0 metres into the minimum exterior side yard and within 0.0 metres of a daylight rounding or triangle;
	front to rear pedestrian access ed to be provided.
Nc	Requirements
on se	5 square metre shall be provided either a balcony/uncovered terrace on the cond or third floor or in the front yard ground level.
	a maximum of 12 dwellings units may e, and the structure is to only be 6 units
	b) c) d) 13.2, ot ne 3.5 on se at ses,

"3763 The lands designated R1F-9.8 – 3763 on Schedule A to this bylaw:

3763.1 Shall only be used for the purposes permitted in an R1F- 9.8 zone and

a) Dwelling, Rear Lane Single Detached

3763.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Width	Interior Lot: 9.8 metres Corner Lot: 12.8 metres
(2) Minimum Lot Area	Interior Lot: 240 square metres Corner Lot: 300 square metres
(3) Minimum Front Yard	 a) 3.0 metres; b) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps; c) a bay window, bow window, box window with or without foundation may encroach 1.0 metres into the minimum front yard;
(4) Minimum Exterior Side Yard	a) 3.0 metres;

	By-law Number <u>5</u> -2024
	 b) 1.2 metres where the exterior side yard abuts a public or private lane;
	 c) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;
	 a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps;
	 e) a bay window, bow window or box window with or without foundation may encroach 1 .0 metres into the minimum exterior side yard and within 0.0 metres of a daylight rouding or triangle;;
(5) Minimum Rear Yard Depth	a) 3.0 metres to dwelling
	b) 6.0 metres to garage
(6) Minimum Interior Side Yard	 a) 1.2 metres on one side and 0.6 metres on the other side provided that the combined total for each interior lot is 1.8 metres;
	 b) interior side yards between two lots can be paired at 0.6 metres per paired lots, and or 1.2 metres and 0.6 metres per paired lots and or at 1.2 metres and 1.2 metres per paired lots;
	 c) 0.6 metres for a corner lot abutting another interior lot with a side yard of 0.6 metres, for a total of 1.2 metres between buildings;
(7) For corner lots, either the exterio maintain a minimum 1.2 metres	r side yard or interior side yard shall egardless of permitted encroachments.
(8) Maximum Building Height	12 metres
(9) The following provisions shall apply to garages:	 a) No garage may project more than 1.5 metres beyond the porch or rear wall of a dwelling;
	 b) minimum interior garage dimension shall measure 6.0 metre interior length by 3.1 metre interior width.
	 c) No encroachment shall be permitted into a required parking space within a garage, except for one step (2 risers) into the minimum garage length;
	 Maximum cumulative garage door width for lots with a lot width less than 10.4 shall be 5.0 metres
(10) The Following shall apply to a bay, bow or box window:	 a) notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
	b) notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay,

	By-law Number <u>5</u> -2024
	bow or box window with or without foundation shall be 1.0 metres;
	 c) a bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and
	 d) a bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;
(11) Encroachments	a) permitted yard encroachment of exterior stairs below grade may encroach into rear yard 2.5 metres
(12) Maximum fence height within t	he front yard is 1.2 metres;
(13) For zoning purposes, the front Road.	property line is deemed to be The Gore
(14) Maximum Lot Coverage	No Requirements

"3760	The lands designated R3C-3760 on Schedule A to this bylaw:

3760.1 Shall only be used for the purposes permitted in an R3C-3760 zone.

3760.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Area	100 square metres per dwelling unit
(2) Minimum Front Yard Setback	a) The front wall of a dwelling unit: 2.0 metres to a public or private road.
	 b) a porch and/or balcony with or without a foundation may encroach 1.0 metres into the minimum front yard;
	 c) A bay window, bow window or windows with or without a foundation or cold cellar may encroach 1.0 metre into the minimum front yard;
	 a porch and/or balcony with or without foundation or cold cellar including steps eaves and cornices may encroach into the front yard within 0.0 metres of a daylight rounding/tringles;
(3) Minimum Exterior Side Yard	a) 1.2 metres
	 b) 0.6 metres abutting a parking area and a public walkway.
(4) Minimum Rear Yard Depth	a) 3.0 meters to the wall of a dwelling;
	b) 6.0 metres to garage form a private laneway.
(5) Minimum Interior Side Yard	a) 1.2 metres when abutting side lot line coincides with two exterior walls;
	 b) 0.0 metres when abutting side lot line coincides with a common wall between two dwellings;
	c) a bay window, or box window with or with foundation or cold cellar may

By-law Number <u>5</u>- 2024

	encroach 0.5 metres into the minimum interior side yard
(6) Maximum Building Height	14 metres
(7) The Following shall apply to a bay, bow or box window:	 a) notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
	 b) notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
	 c) a bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and
	 a bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;
(8) Encroachments	 a) permitted yard encroachment of exterior stairs below grade may encroach into rear yard 2.5 metres;
	 b) a balcony above a garage may encroach to within 1.5 metres of the rear lot line.
(9) Minimum Landscape Open Space	No requirement
(10) Minimum Amenity Area	3.5 square metres shall be provided either on a balcony/uncovered terrace on the second or third floor or in the year at ground level.
(11) Setbacks to TransCanada Pipeline right-of-way	 A minimum setback of 7.0 m shall be required from any part of a principal building or structure from the edge of the TransCanada pipeline right-of- way.
	 b) A minimum setback of 3.0 m shall be required from any part of an accessory building or accessory structure from the edge of the TransCanada pipeline right-of-way.
	c) A minimum setback of 7.0 m from the nearest portion of a TransCanada pipeline right-of-way shall also apply to any minimum required parking area or loading area, including any minimum required parking space, loading space, stacking space, bicycle parking space, and any associated aisle or driveway.
(12) The following provisions shall apply to garages:	 a) minimum interior garage dimension shall measure 6.0 metres interior length by 3.1 metres minimum interior width.
	 b) No encroachment shall be permitted into a required parking space within a garage, except for one step (2 risers) into the minimum garage length;

By-law Number <u>5</u>- 2024

	c) The maximum cumulative garage door width shall be 5.6 metres	
(13)	Maximum fence height required within a front yard is 1.2 metres	
(14)	Section 10.13.2 shall not apply.	
(15)	Section 10.9.1.4 shall not apply	
(16)	Minimum Visitor Parking Spaces: 0.25 spaces per unit.	

ENACTED and PASSED this 24th day of January, 2024.



(OZS-2021-0039)



