

5000 WIDE CENTER MEDIAN

1000 TYPICAL

PLANTING SOIL MIX IN A CONTINUOUS TROUGH  
4-1000 MIN DEPTH WITH  
100 DEEP SHREDDED BARK MULCH

"CLEAN-OUT" WITH THREADED CAP

CONCRETE APRON

2% MAX

CONCRETE APRON

SUBGRADE

0.5% MIN.

150 Ø RIGID PVC CONNECTED TO C.B. OR M.H.


CONNECT TO PLANTING BED DRAIN

150 Ø PERFORATED PLASTIC DRAIN TILE C/W  
FILTER SOCK CONNECTED TO CB, MH  
OR SUMP. AT HIGH END OF BED BRING  
PERFORATED PLASTIC TO SURFACE AND  
COVER WITH THREADED CAP.

200 DEEP GRANULAR OVER PIPE WITH  
FILTER FABRIC BETWEEN GRANULAR  
AND PLANTING SOIL

**NOTE:**

1. PLANTING BED MUST BE IRRIGATED UNLESS PLANTED WITH GRASSES ONLY
2. HARD SURFACE APRON SHALL BE FINISHED CONCRETE, IMPRINTED CONCRETE OR UNIT PAVERS
3. PLANTING SOIL TO BE IMPORTED, HIGH QUALITY GARDEN LOAM
4. ALL MEASUREMENTS ARE IN MILLIMETERS UNLESS STATED OTHERWISE

 <p><b>PLANNING, DESIGN &amp; DEVELOPMENT DEPARTMENT</b></p>	<p><b>TITLE:</b> IRRIGATED MEDIAN BED ( CROSS SECTION )</p>	<p><b>DRAWING NO.</b> PDD 212</p>
	<p><b>REVIEWED BY:</b> <i>SH</i></p> <p><b>APPROVED BY:</b> <i>Steve Walsh</i></p>	<p><b>SCALE:</b> N.T.S.</p> <p><b>DATE:</b> JANUARY 2007</p>