

EXISTING WOODLOT

FENCE LOCATION IF GRADE RAISED (VARIES)

PROPOSED PLANTING TO RECREATE WOODLOT EDGE TO PROTECT REMAINING WOODLOT


1200 HIGH CHAIN LINK FENCE LOCATION IN THE CASE OF NO CHANGE IN GRADE SILT CONTROL FENCE LOCATION AS WELL

MIN. 4.0 M TURF BUFFER OR 1.0 TO 2.0 M. WIDE MULCH BED

EXTREME GRADE CHANGE (FILL)

2000 DRAINAGE CONTROL AREA MAY BE REQUIRED AT TOE OF 4 : 1 SLOPE (MAX.)

EXISTING GRADE



A

LIMIT OF CROWN AREA MAY CORRESPOND WITH EXISTING WOODLOT EDGE.

B

ROOTING AREA

C

AREA OF INFLUENCE

BUFFER ZONE

NOTES:

1. CLEAR WOODLOT OF DEADWOOD.
2. PROVIDE LIABILITY PRUNING WITHIN 10.0 M OF WOODLOT EDGE.
3. MINIMUM BUFFER WIDTH TO BE 7.0 M.
4. ALL MEASUREMENTS ARE IN MILLIMETERS UNLESS STATED OTHERWISE.

TREE RETENTION ZONE

PLANNING, DESIGN & DEVELOPMENT DEPARTMENT

TITLE: WOODLOT EDGE TREATMENT (ELEVATED NEW GRADE)		DRAWING NO. PDD 720
REVIEWED BY: <i>SH Daubney</i>	SCALE: N.T.S.	
APPROVED BY: <i>Steve Walsh</i>	DATE: JANUARY 2007	