


SECTION / ELEVATION


PARKING LOT ENTRANCE GATE




SECTION / ELEVATION

MAINTENANCE GATE

PLAN HASP LATCH



PLAN
LOCKING PIN
FOR OPEN GATE POSITION



SECTION / ELEVATION
POST DETAIL

NOTES

1. LAYOUT OF GATES TO BE STAKED IN THE FIELD FOR APPROVAL BY THE CITY OF BRAMPTON.
2. ENSURE 300 (MIN.) CLEARANCE FROM OUTSIDE CURB FACE WHEN GATE IS IN OPEN POSITION.
3. ALL MATERIALS TO BE GALVANIZED AFTER FABRICATION (TYP.).
4. ALL WELDS TO BE 5 MM CONTINUOUS SEAM AND GROUND SMOOTH.
5. ALL MEASUREMENTS ARE IN MILLIMETRES UNLESS STATED OTHERWISE.



**PLANNING,
DESIGN &
DEVELOPMENT
DEPARTMENT**

TITLE:
PARK VEHICULAR ACCESS GATES

DRAWING NO.
PDD **840**

REVIEWED BY: *[Signature]*

SCALE: **N.T.S.**

APPROVED BY: *[Signature]*

DATE: **JANUARY 2007**