



THE CORPORATION OF THE CITY OF BRAMPTON

# BY-LAW

Number 5 - 2024

To amend By-law 270-2004, as amended

The Council of The Corporation of the City of Brampton, in accordance with the provisions of the Planning Act, R.S.O. 1990, c.P. 13, hereby enacts as follows;

1. By-law 270-2004, as amended, is hereby further amended:
  - 1) By changing on Schedule A thereto, the zoning designations of the lands as shown outlined on Schedule A to this by-law:

From:	To:
"AGRICULTURAL (A)"	RESIDENTIAL SEMI DETACHED A – R2A – SECTION 3742 (R2A – 3742)  RESIDENTIAL SINGLE DETACHED F – 11.0 – SECTION 3737 (R1F – 11.0 – 3737)  RESIDENTIAL TOWNHOUSE E – 7.8 – SECTION 3761 (R3E-7.8-3761)  RESIDENTIAL TOWNHOUSE E – 6.7 – SECTION 3762 (R3E – 6.7 – 3762)  RESIDENTIAL TOWNHOUSE E – 6.0 – SECTION 3764 (R3E – 6.0 –3764)  RESIDENTIAL SINGLE DETACHED F – 9.8 – SECTION 3763 (R1F – 9.8 –3763)  RESIDENTIAL TOWNHOUSE C – R3C – SECTION 3760 (R3C – 3760)  RESIDENTIAL TOWNHOUSE E – 6.1 – SECTION 3743 (R3E – 6.1 – 3743)  OPEN SPACE ZONE (OS)  FLOODPLAIN (F)

- 2) By adding thereto the following sections:

"3762            The lands designated R3E– 6.7 – 3762 on Schedule A to this bylaw:

3762.1 Shall only be used for the purposes permitted in an R3E- 6.7 zone;

3762.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Width	Interior Lot:6.7 metres Corner Lot: 9.7 metres End Lot: 8.4 metres
(2) Minimum Lot Area per dwelling unit	Interior Lot: 160 square metres End Lot: 200 square metres Corner Lot: 210 square metres
(3) Minimum Front Yard	a) 3.0 metres but 6.0 metres to a garage door  b) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps;  c) a bay window, bow window, box window with or without foundation may encroach 1.0 metres into the minimum front yard;
(4) Minimum Rear Yard Depth	6.0 metres
(5) Maximum Building Height	14 metres
(6) The following provisions shall apply to garages:	a) Notwithstanding Section 16.10.2(k)(2), for corner lots, a garage door may face the flankage lot line.  a) minimum interior garage dimension shall measure 6.0 metres interior length by 3.1 metres minimum interior width.  b) No encroachment shall be permitted into a required parking space within a garage, except for one step (2 risers) into the minimum garage length;
(7) The Following shall apply to a bay, bow or box window:	a) notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;  b) notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;  c) a bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and  d) a bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;
(8) Encroachments	a) permitted yard encroachment of exterior stairs below grade may encroach into rear yard 2.5 metres;

	<p>b) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;</p> <p>c) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps;</p> <p>d) a bay window, bow window or box window with or without foundation may encroach 1.0 metres into the minimum exterior side yard and within 0.0 metres of a daylight rounding or triangle;</p>
(9) Notwithstanding Section 10.13.2, front to rear pedestrian access through the dwelling unit does not need to be provided.	
(10) Maximum Lot Coverage	No Requirements
(11) Minimum Amenity Area	3.5 square metres shall be provided either on a balcony/uncovered terrace on the second or third floor, or at ground level.

- "3761 The lands designated R3E- 7.8 – 3761 on Schedule A to this bylaw:  
 3761.1 Shall only be used for the purposes permitted in an R3E- 7.8 zone and  
 a) Dwelling, Rear Lane Townhouse  
 3761.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Width	<p>Interior Lot: 7.8 metres</p> <p>End Lot: 9.5 metres</p> <p>Corner Lot: 9.8 metres</p>
(2) Minimum Lot Area	<p>Interior Lot: 190 square metres</p> <p>End Lot: 210 square metres</p> <p>Corner Lot: 215 square metres</p>
(3) Minimum Lot Depth	23.0 metres
(4) Minimum Front Yard	<p>a) 3.0 metres;</p> <p>b) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps;</p> <p>c) a bay window, bow window, box window with or without foundation may encroach 1.0 metres into the minimum front yard;</p>
(5) Minimum Rear Yard Depth	<p>3.0 metres to dwelling</p> <p>6.0 metres to garage</p>
(6) Maximum Building Height	14 metres
(7) The following provisions shall apply to garages:	a) Notwithstanding Section 16.10.2(k)(2), for corner lots, a

	<p>garage door may face the flankage lot line.</p> <p>b) minimum interior garage dimension shall measure 6.0 metres interior length by 3.1 metres minimum interior width.</p> <p>c) No encroachment shall be permitted into a required parking space within a garage, except for one step (2 risers) into the minimum garage length;</p>
(8) The following shall apply to a bay, bow or box window:	<p>a) notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;</p> <p>b) notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;</p> <p>c) a bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and</p> <p>d) a bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;</p>
(9) Encroachments	<p>a) permitted yard encroachment of exterior stairs below grade may encroach into rear yard 2.5 metres</p> <p>b) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;</p> <p>c) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps;</p> <p>d) a bay window, bow window or box window with or without foundation may encroach 1.0 metres into the minimum exterior side yard and within 0.0 metres of a daylight rounding or triangle;</p>
(10) Notwithstanding Section 10.13.2, front to rear pedestrian access through the dwelling unit does not need to be provided.	
(11) Maximum Lot Coverage	No Requirements
(12) Minimum Amenity Area	3.5 square metres shall be provided either on a balcony/uncovered terrace on the second or third floor, or at ground level.

"3764 The lands designated R3E- 6.0 – 3764 on Schedule A to this bylaw:  
 3764.1 Shall only be used for the purposes permitted in an R3E- 6.0 zone and

a) Dwelling, Back-to-Back Townhouse

3764.2

Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Width	Interior Lot: 6 metres End Lot: 7.2 metres Corner Lot: 9 metres
(2) Minimum Lot Area per dwelling unit	Interior Lot: 70 square metres End Lot: 85 square metres Corner Lot: 100 square metres
(3) Minimum Lot Depth	12 metres
(4) Minimum Front Yard	a) 3.0 metres, but 6.0 metres to a garage door  b) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps;  c) a bay window, bow window, box window with or without foundation may encroach 1.0 metres into the minimum front yard;
(5) Minimum Rear Yard Depth	0 metres
(6) Maximum Building Height	14 metres
(7) The following provisions shall apply to garages:	a) Notwithstanding Section 16.10.2(k)(2), or corner lots, a garage door may face the flankage lot line.  b) minimum interior garage dimension shall measure 6.0 metres interior length by 3.1 metres minimum interior width.  c) No encroachment shall be permitted into a required parking space within a garage, except for one step (2 risers) into the minimum garage length;
(8) The Following shall apply to a bay, bow or box window:	a) notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;  b) notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;  c) a bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and  d) a bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;

(9) Encroachments	<ul style="list-style-type: none"> <li>a) permitted yard encroachment of exterior stairs below grade may encroach into rear yard 2.5 metres;</li> <li>b) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;</li> <li>c) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps;</li> <li>d) a bay window, bow window or box window with or without foundation may encroach 1.0 metres into the minimum exterior side yard and within 0.0 metres of a daylight rounding or triangle;</li> </ul>
(10) Notwithstanding Section 10.13.2, front to rear pedestrian access through the dwelling unit does not need to be provided.	
(11) Maximum Lot Coverage	No Requirements
(12) Minimum Amenity Area	3.5 square metre shall be provided either on a balcony/uncovered terrace on the second or third floor or in the front yard at ground level.
(13) For Back-to-Back Townhouses, a maximum of 12 dwellings units may be attached in a contiguous structure, and the structure is to only be 6 units wide and 2 units deep.	

“3763 The lands designated R1F-9.8 – 3763 on Schedule A to this bylaw:

3763.1 Shall only be used for the purposes permitted in an R1F– 9.8 zone and

a) Dwelling, Rear Lane Single Detached

3763.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Width	Interior Lot: 9.8 metres Corner Lot: 12.8 metres
(2) Minimum Lot Area	Interior Lot: 240 square metres Corner Lot: 300 square metres
(3) Minimum Front Yard	<ul style="list-style-type: none"> <li>a) 3.0 metres;</li> <li>b) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps;</li> <li>c) a bay window, bow window, box window with or without foundation may encroach 1.0 metres into the minimum front yard;</li> </ul>
(4) Minimum Exterior Side Yard	a) 3.0 metres;

	<ul style="list-style-type: none"> <li>b) 1.2 metres where the exterior side yard abuts a public or private lane;</li> <li>c) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;</li> <li>d) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps;</li> <li>e) a bay window, bow window or box window with or without foundation may encroach 1.0 metres into the minimum exterior side yard and within 0.0 metres of a daylight rounding or triangle;</li> </ul>
(5) Minimum Rear Yard Depth	<ul style="list-style-type: none"> <li>a) 3.0 metres to dwelling</li> <li>b) 6.0 metres to garage</li> </ul>
(6) Minimum Interior Side Yard	<ul style="list-style-type: none"> <li>a) 1.2 metres on one side and 0.6 metres on the other side provided that the combined total for each interior lot is 1.8 metres;</li> <li>b) interior side yards between two lots can be paired at 0.6 metres per paired lots, and or 1.2 metres and 0.6 metres per paired lots and or at 1.2 metres and 1.2 metres per paired lots;</li> <li>c) 0.6 metres for a corner lot abutting another interior lot with a side yard of 0.6 metres, for a total of 1.2 metres between buildings;</li> </ul>
(7) For corner lots, either the exterior side yard or interior side yard shall maintain a minimum 1.2 metres regardless of permitted encroachments.	
(8) Maximum Building Height	12 metres
(9) The following provisions shall apply to garages:	<ul style="list-style-type: none"> <li>a) No garage may project more than 1.5 metres beyond the porch or rear wall of a dwelling;</li> <li>b) minimum interior garage dimension shall measure 6.0 metre interior length by 3.1 metre interior width.</li> <li>c) No encroachment shall be permitted into a required parking space within a garage, except for one step (2 risers) into the minimum garage length;</li> <li>d) Maximum cumulative garage door width for lots with a lot width less than 10.4 shall be 5.0 metres</li> </ul>
(10) The Following shall apply to a bay, bow or box window:	<ul style="list-style-type: none"> <li>a) notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;</li> <li>b) notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay,</li> </ul>

	<p>bow or box window with or without foundation shall be 1.0 metres;</p> <p>c) a bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and</p> <p>d) a bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;</p>
(11) Encroachments	a) permitted yard encroachment of exterior stairs below grade may encroach into rear yard 2.5 metres
(12) Maximum fence height within the front yard is 1.2 metres;	
(13) For zoning purposes, the front property line is deemed to be The Gore Road.	
(14) Maximum Lot Coverage	No Requirements

- "3760                    The lands designated R3C-3760 on Schedule A to this bylaw:  
3760.1                   Shall only be used for the purposes permitted in an R3C-3760 zone.  
3760.2                   Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Area	100 square metres per dwelling unit
(2) Minimum Front Yard Setback	<p>a) The front wall of a dwelling unit: 2.0 metres to a public or private road.</p> <p>b) a porch and/or balcony with or without a foundation may encroach 1.0 metres into the minimum front yard;</p> <p>c) A bay window, bow window or windows with or without a foundation or cold cellar may encroach 1.0 metre into the minimum front yard;</p> <p>d) a porch and/or balcony with or without foundation or cold cellar including steps eaves and cornices may encroach into the front yard within 0.0 metres of a daylight rounding/tringles;</p>
(3) Minimum Exterior Side Yard	<p>a) 1.2 metres</p> <p>b) 0.6 metres abutting a parking area and a public walkway.</p>
(4) Minimum Rear Yard Depth	<p>a) 3.0 meters to the wall of a dwelling;</p> <p>b) 6.0 metres to garage form a private laneway.</p>
(5) Minimum Interior Side Yard	<p>a) 1.2 metres when abutting side lot line coincides with two exterior walls;</p> <p>b) 0.0 metres when abutting side lot line coincides with a common wall between two dwellings;</p> <p>c) a bay window, or box window with or with foundation or cold cellar may</p>



	encroach 0.5 metres into the minimum interior side yard
(6) Maximum Building Height	14 metres
(7) The Following shall apply to a bay, bow or box window:	<p>a) notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;</p> <p>b) notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;</p> <p>c) a bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and</p> <p>d) a bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;</p>
(8) Encroachments	<p>a) permitted yard encroachment of exterior stairs below grade may encroach into rear yard 2.5 metres;</p> <p>b) a balcony above a garage may encroach to within 1.5 metres of the rear lot line.</p>
(9) Minimum Landscape Open Space	No requirement
(10) Minimum Amenity Area	3.5 square metres shall be provided either on a balcony/uncovered terrace on the second or third floor or in the year at ground level.
(11) Setbacks to TransCanada Pipeline right-of-way	<p>a) A minimum setback of 7.0 m shall be required from any part of a principal building or structure from the edge of the TransCanada pipeline right-of-way.</p> <p>b) A minimum setback of 3.0 m shall be required from any part of an accessory building or accessory structure from the edge of the TransCanada pipeline right-of-way.</p> <p>c) A minimum setback of 7.0 m from the nearest portion of a TransCanada pipeline right-of-way shall also apply to any minimum required parking area or loading area, including any minimum required parking space, loading space, stacking space, bicycle parking space, and any associated aisle or driveway.</p>
(12) The following provisions shall apply to garages:	<p>a) minimum interior garage dimension shall measure 6.0 metres interior length by 3.1 metres minimum interior width.</p> <p>b) No encroachment shall be permitted into a required parking space within a garage, except for one step (2 risers) into the minimum garage length;</p>


	c) The maximum cumulative garage door width shall be 5.6 metres
(13)	Maximum fence height required within a front yard is 1.2 metres
(14)	Section 10.13.2 shall not apply.
(15)	Section 10.9.1.4 shall not apply
(16)	Minimum Visitor Parking Spaces: 0.25 spaces per unit.

ENACTED and PASSED this 24<sup>th</sup> day of January, 2024.

Approved as to form.  
2024/01/18  
MR


Approved as to content.  
2024/01/18  
AAP


(OZS-2021-0039)



Patrick Brown, Mayor

S. Hans.  
~~Peter Fay, City Clerk~~  
S. Hans, Acting City Clerk





 Subject Lands

