

THE CORPORATION OF THE CITY OF BRAMPTON

BY-LAW

Number <u>26</u>-2024

То	Comprehensive	Zoning	By-Law	270-2004,	as	amende	∍d

The Council of the Corporation of the City of Brampton, in accordance with the provisions of the *Planning Act, R.S.O. 1990, c.P. 13*, hereby ENACTS as follows:

- 1. By-law 270-2004, as amended, is hereby further amended:
 - (1) By changing Schedule A thereto, the zoning designation of the lands as shown outlined on Schedule A to this by-law:

From:	То:
"AGRICULTURAL – 1520 (A-1520)" and "AGRICULTURAL (A)"	RESIDENTIAL SINGLE DETACHED F - 9.0 - SECTION 3747 (R1F - 9.0 - 3747)
	RESIDENTIAL SINGLE DETACHED F – 13.0 – SECTION 3748 (R1F – 13.0 – 3748)
	RESIDENTIAL SINGLE DETACHED F - 9.0 - SECTION 3749 (R1F - 9.0 - 3749)
	RESIDENTIAL SINGLE DETACHED F - 9.0 - SECTION 3766 (R1F - 9.0 - 3766)
	INSTUTIONAL ONE – SECTION 3750 (I1-3750)
	OPEN SPACE ZONE (OS)

(2) By adding the following Sections:

"3747	The lands designated R1F – 9.0 – 3747 on Schedule A to this by- law:
3747.1	Shall only be used for the purposes permitted in an R1F – 9.0 zone.

By-law Number <u>26</u> - 2024

3747.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Area	a) Interior Lot – 225.0 square metres;	
	b) Corner Lot – 270.0 square metres;	
(2) Minimum Lot Width	a) Interior Lot – 9.0 metres;	
	b) Corner Lot – 10.8 metres;	
(3) Minimum Front Yard	a) 3.0 metres;	
	b) 6.0 metres to a garage door facing the front lot line;	
	c) the main wall of a dwelling may encroach into the front yard to within 1.0 metres of a daylight rounding or triangle;	
	d) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps;	
	e) a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding or triangle;	
·	f) a bay window, bow window, box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum front yard; and	
·	g) a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding or triangle;	
(4) Minimum Exterior Side Yard	a) 3.0 metres;	
	b) 6.0 metres to a garage door facing the exterior side yard for corner lots;	
	c) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;	
	d) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps	
	e) a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the exterior side	

	yard to within 0.0 metres of a daylight rounding or triangle;
	f) a bay window, bow window or box window with or without foundation and a porch or cold cellar including eaves and cornices may encroach into the exterior side yard to 0.0 metres of a daylight rounding/triangle; and
	g) a bay window, bow window or box window with or without foundation may encroach 1.0 metre into the minimum exterior side yard and within 0.0 metres of a daylight rounding or triangle
(5) Minimum Rear Yard Depth	a) 7.0 metres;
	b) 6.0 metres when a rear yard abuts an interior side yard of an adjacent lot, an Open Space zone, a Floodplain zone, Institutional zone, a Stormwater Pond, a Park;
	c) 3.5 metres for a deck;
	d) 4.5 metres for open, roofed porch and or uncovered terrace;
	e) a bay window, bow window or box window with or without foundation may encroach 1.0 metres into the minimum rear yard;
(6) Minimum Interior Side Yard	a) Where the minimum interior lot width is less than 12.5 metres: 1.2 metres on one side and 0.6 metres on the other side provided that the combined total for each interior lot is 1.8 metres;
	b) Where the minimum interior lot width for lots which have side lot lines converging towards the front or rear is less than 13.0 metres: 1.2 metres on one side and 0.6 metres on the other side provided that the combined total for each interior lot is 1.8 metres;
	c) Interior side yards between two lots can be paired at 0.6 metres per paired lots, and or 1.2 metres and 0.6 metres per paired lots and or at 1.2 metres and 1.2 metres per paired lots;
	d) 1.2 metres where the side yard abuts a public walkway or a non-residential zone;
	or side yard or interior side yard shall regardless of permitted encroachments.
(8) Maximum Building Height	13 metres;

(9) The following provisions shall apply to garages:	a)	No garage may project more than 1.5 metres beyond the porch or front wall of a dwelling;
	b)	The maximum cumulative garage door shall be 5.0 metres if the lot is less than 12.5 metres but greater than or equal to 10.4 metres;
	c)	The maximum cumulative garage door width for lots, with a lot width equal to or greater than 12.5 metres but less than15.0 metres shall be 5.5 metres;
	d)	the garage door width restriction does not apply to a garage door facing the exterior lot line;
	е)	minimum interior garage dimension of single vehicle garage shall measure 6.0 metre interior length x 3.1 metre minimum interior width.
	f)	No encroachment shall be permitted into a minimum interior garage width or length, except for one step (2 risers)
	g)	The maximum interior garage width, of an attached garage, shall be 0.9 metres wider than the maximum permitted cumulative garage width.
(10) The Following shall apply to a bay, bow or box window:	a)	notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;

(3) By adding the following Sections:

"3748	The lands designated R1F– 13.0 – 3748 on Schedule A to this bylaw:
3748.1	Shall only be used for the purposes permitted in an R1D- 13.0 zone
3748.2	Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Area	a) Interior Lot: metres	325.0 square
	b) Corner Lot: metres	370.0 square
(2) Minimum Lot Width	a) Interior Lot:	13.0 metres
	b) Corner Lot:	14.8 meters
(3) Minimum Front Yard	a) 3.0 metres;	
	b) 6.0 metres to a garage door facing the front lot line;	
	c) the main wall of a dwelling may encroach into the front yard to within	

	By-law Number <u>~~</u> - 2024
	1.0 metres of a daylight rounding or triangle;
	 d) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps;
	e) a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding or triangle;
	f) a bay window, bow window, box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum front yard; and
	g) a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding or triangle;
(4) Minimum Exterior Side	a) 3.0 metres;
Yard	b) 6.0 metres to a garage door facing the exterior side yard for corner lots;
	 c) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;
	 d) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps;
	e) a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding or triangle;
	 f) a bay window, bow window or box window with or without foundation and a porch or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of daylight rounding/triangle; and
	g) a bay window, bow window or box window with or without foundation may encroach 1.0 metre into the minimum exterior side yard and within 0.0 metres of a daylight rounding or triangle;
(5) Minimum Rear Yard Depth	a) 7.0 metres;
	b) 6.0 metres when a rear yard abuts an interior side yard of an adjacent lot, an Open Space zone, a Floodplain

By-law Number __ 26___ - 2024

	zone, Institutional zone, a Stormwater Pond, a Park ;
	c) 3.5 metres for a deck;
	d) 4.5 metres for open, roofed porch and or uncovered terrace;
	e) a bay window, bow window or box window with or without foundation may encroach 1.0 metres into the minimum rear yard;
(6) Minimum Interior Side Yard	a) 1.2 metres on one side and 0.6 metres on the other side provided that the combined total for each interior lot is 1.8 metres;
	b) Interior side yards between two lots can be paired at 0.6 metres per paired lots, and or 1.2 metres and 0.6 metres per paired lots and or at 1.2 metres and 1.2 metres per paired lots;
	c) 1.2 metres where the side yard abuts a public walkway or a non-residential zone; and
,	d) 0.6 metres for a corner lot abutting another interior lot with a side yard of 0.6 metres or 1.2 metres, for a minimum total of 1.2 metres between buildings;
	terior side yard or interior side yard shall regardless of permitted encroachments.
(8) Maximum Building Height	13 metres
(9) The following provisions shall apply to garages:	a) No garage may project more than 1.5 metres beyond the porch or front wall of a dwelling;
	b) the maximum cumulative garage door shall be 5.0 if the lot is less than 12.5 metres but greater than or equal to 10.4 metres;
	c) the maximum cumulative garage door width for lots, with a lot width equal to or greater than 12.5 metres but less than 15.0 metres shall be 5.5 metres;
	d) the garage door width restriction does not apply to a garage door facing the exterior lot line;
	e) minimum interior garage dimension of single vehicle garage shall measure 6.0 metre interior length x 3.1 metre minimum interior width.
	f) No encroachment shall be permitted into a minimum interior garage width or length, except for one step (2 risers)

	g) For interior lots with a lot width or 19.8 metres and greater, the maximum interior garage width shall be greater than 9.0 or 50% of the dwelling unit.
(10) The Following shall apply to a bay, bow or box window:	 a) notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;

- (3) By adding the following Sections:
- "3749 The lands designated R1F -9.0 3749 on Schedule A to this by-law:
- 3749.1 Shall only be used for the purposes permitted in an R1F 9.0 zone.
- 3749.2 Shall be subject to the following requirements and restrictions:

Shall be subject to the following requirements and restrictions:		
(1) Minimum Lot Area	a) Interior Lot – 225.0 square metres; b) Corner Lot – 270.0 square metres;	
(2) Minimum Lot Width	a) Interior Lot – 9.0 metres; b) Corner Lot – 10.8 metres;	
(3) Minimum Front Yard	a) 3.0 metres;	
	b) 6.0 metres to a garage door;	
	c) the main wall of a dwelling may encroach into the front yard to within 1.0 metres of a daylight rounding or triangle;	
	d) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps;	
	e) a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding or triangle;	
	f) a bay window, bow window, box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum front yard; and	
	g) a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding or triangle;	
(4) Minimum Exterior Side Yard	a) 3.0 metres;	
	b) 6.0 metres to a garage door facing the exterior side yard for corner lots;	

	c)	the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;
	d)	a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps;
	e)	a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding or triangle;
	f)	a bay window, bow window or box window with or without foundation and a porch or cold cellar including eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding/triangle; and
	g)	a bay window, bow window or box window with or without foundation may encroach 1.0 metre into the minimum exterior side yard and within 0.0 metres of a daylight rounding or triangle
(5) Minimum Rear Yard Depth	a)	7.0 metres;
	b)	6.0 metres when a rear yard abuts an interior side yard of an adjacent lot, an Open Space zone, a Floodplain zone, Institutional zone, a Stormwater Pond, a Park;
	c)	3.5 metres for a deck;
	d)	4.5 metres for open, roofed porch and or uncovered terrace;
	e)	a bay window, bow window or box window with or without foundation may encroach 1.0 metres into the minimum rear yard;
(6) Minimum Interior Side Yard	a)	Where the minimum interior lot width is less than 12.5 metres: 1.2 metres on one side and 0.6 metres on the other side provided that the combined total for each interior lot is 1.8 metres;
	b)	Where the minimum inerior lot width for lots which have side lot lines converging towards the front or rear is less than 13.0 metres: 1.2 metres on one side and 0.6 metres on the other side provided that the combined total for each interior lot is 1.8 metres
	c)	Interior side yards between two lots can be paired at 0.6 metres per

0.	aired lots, and or 1.2 metres and .6 metres per paired lots and or at .2 metres and 1.2 metres per aired lots;		
1			
at	.2 metres where the side yard buts a public walkway or a non- esidential zone;		
(7) For corner lots, either the exterior side yard or interior side yard shall maintain a minimum 1.2 metres regardless of permitted encroachments.			
(8) Maximum Building Height 13 me	13 metres;		
apply to garages:	o garage may project more than .5 metres beyond the porch or ont wall of a dwelling;		
do ec m	ne maximum cumulative garage oor width for lots, with a lot width qual to or greater than 11.6 netres but less than 12.5 metres mall be 5.0 metres;		
do ec m	ne maximum cumulative garage oor width for lots, with a lot width qual to or greater than 12.5 netres but less than 15.0 metres hall be 5.5 metres;		
do	ne garage door width restriction oes not apply to a garage door acing the exterior lot line;		
of m	ninimum interior garage dimension f single vehicle garage shall neasure 6.0 metre interior length x .1 metre minimum interior width.		
pe ga	o encroachment shall be ermitted into a minimum interior arage width or length, except for ne step (2 risers)		
w be	he maximum interior garage vidth, of an attached garage shall e 0.9 metres wider than the naximum permitted cumulative arage width.		
a bay, bow or box window: 6. bc	otwithstanding Section 6.13 Table 13.A the maximum width of a bay, ow or box window with or without bundation shall be 4.5 metres;		

(5) By adding the following Sections:

"3766 The lands designated R1F -9.0 - 3766 on Schedule A to this by- law:

3766.1 Shall only be used for the purposes permitted in an R1F – 9.0 zone.

3766.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Area	a) Interior Lot – 225.0 square metres;
	b) Corner Lot – 270.0 square metres;

(2) Minimum Lot Width	a) Interior Lot – 9.0 metres;	
	b) Corner Lot – 10.8 metres;	
(3) Minimum Front Yard	a) 3.0 metres;	
	b) 6.0 metres to a garage door facing the front lot line;	
	c) the main wall of a dwelling may encroach into the front yard to within 1.0 metres of a daylight rounding or triangle;	
	d) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps;	
	e) a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding or triangle;	
	f) a bay window, bow window, box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum front yard; and	
	g) a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding or triangle;	
(4) Minimum Exterior Side Yard	a) 3.0 metres;	
	b) 6.0 metres to a garage door facing the exterior side yard for corner lots;	
	c) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;	
	d) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps	
	e) a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding or triangle;	

	 f) a bay window, bow window or box window with or without foundation and a porch or cold cellar including eaves and cornices may encroach into the exterior side yard to 0.0 metres of a daylight rounding/triangle; and g) a bay window, bow window or box window with or without foundation may encroach 1.0 metre into the minimum exterior side yard and within 0.0 metres of a daylight rounding or triangle 	
(5) Minimum Rear Yard Depth	a) 6.5 metres;	
	b) 6.0 metres when a rear yard abuts an interior side yard of an adjacent lot, an Open Space zone, a Floodplain zone, Institutional zone, a Stormwater Pond, a Park;	
	c) 3.5 metres for a deck;	
	 d) 4.5 metres for open, roofed porch and or uncovered terrace; 	
	e) a bay window, bow window or box window with or without foundation may encroach 1.0 metres into the minimum rear yard;	
(6) Minimum Interior Side Yard	a) Where the minimum interior lot width is less than 12.5 metres: 1.2 metres on one side and 0.6 metres on the other side provided that the combined total for each interior lot is 1.8 metres;	
	b) Where the minimum interior lot width for lots which have side lot lines converging towards the front or rear is less than 13.0 metres: 1.2 metres on one side and 0.6 metres on the other side provided that the combined total for each interior lot is 1.8 metres;	
	c) Interior side yards between two lots can be paired at 0.6 metres per paired lots, and or 1.2 metres and 0.6 metres per paired lots and or at 1.2 metres and 1.2 metres per paired lots;	
	d) 1.2 metres where the side yard abuts a public walkway or a non-residential zone;	
(7) For corner lots, either the exterior side yard or interior side yard shall maintain a minimum 1.2 metres regardless of permitted encroachments.		
(8) Maximum Building Height	13 metres;	
	1	

(9) The following provisions	۱۵	No garage may project more than
shall apply to garages:	a)	No garage may project more than 1.5 metres beyond the porch or front wall of a dwelling;
	b)	The maximum cumulative garage door shall be 5.0 metres if the lot is less than 12.5 metres but greater than or equal to 10.4 metres;
	c)	The maximum cumulative garage door width for lots, with a lot width equal to or greater than 12.5 metres but less than 15.0 metres shall be 5.5 metres;
	d)	the garage door width restriction does not apply to a garage door facing the exterior lot line;
	е)	minimum interior garage dimension of single vehicle garage shall measure 6.0 metre interior length x 3.1 metre minimum interior width.
	f)	No encroachment shall be permitted into a minimum interior garage width or length, except for one step (2 risers)
	g)	The maximum interior garage width, of an attached garage, shall be 0.9 metres wider than the maximum permitted cumulative garage width.
(10) The Following shall apply to a bay, bow or box window:	a)	notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;

(6)
3750 The lands designated I1 – Section 3750 on Schedule A to this by-law:

3750.1 Shall only be used for either of the following purposes:

(1) Purposes permitted by the I1 zone subject to the requirements and restrictions of the I1 zone;

or

(2) Purposes permitted by the R1F- 9.0 - 3749 zone, subject to the requirements and restrictions of the R1F-9.0-3749 zone.

ENACTED and PASSED this 28th day of February, 2024.

Approved as to form.

2024/02/22

SDSR

Approved as to content.

2024/02/21


AAP

(OZS-2023-0001)

Parick Brown, Mayor

Jackhood

City Clerk (act






a X

LOT 13 & 14, CONCESSION 10 N.D.

Drawn by: LCarter BY-LAW 26-2024

SCHEDULE A



brampion.ca Flower City
PLANNING, BUILDING AND GROWTH MAN



KEY MAP

File: OZS-2023-0001_ZKM Date: 2023/11/21

Drawn by: LCarter BY-LAW 26-2024