

THE CORPORATION OF THE CITY OF BRAMPTON

BY-LAW

Number <u>51</u> - 2024

To amend Comprehensiv	e Zoning	By-law 2	270-2004,	as	amende
-----------------------	----------	----------	-----------	----	--------

The Council of The Corporation of the City of Brampton, in accordance with the provisions of the Planning Act, R.S.O. 1990, c.P. 13, hereby enacts as follows;

- 1. By-law 270-2004, as amended, is hereby further amended:
 - (1) By changing Schedule A thereto, the zoning designations of the lands as shown outlined on Schedule A to this by-law:

From:	То:
Agricultural (A) Agriculture – Special Section 839 (A-839)	Residential Single Detached - Special Section 3729 (R1F(H)-11.0 3729)
	Residential Single Detached - Special Section 3730 (R1F(H)-11.6 3730)
	Residential Single Detached - Special Section 3568 (R1F(H)-11.0 3568)
	Residential Single Detached - Special Section 3670 (R1F(H)-11.0 3670)
	Residential Townhouse - Special Section 3731 (R3E(H)-5.5-3731)
	Residential Townhouse - Special Section 3732 (R3E(H)-5.5-3732)
	Residential Townhouse - Special Section 3569 (R3E(H)-4.4-3569)
	Residential Townhouse - Special Section 3570 (R3E(H)-6.0-3570)
	Residential Townhouse - Special Section 3571 (R3E(H)-6.0-3571)

Residential Apartment A - Special Section 3733 (R4A(H)-3733)
Residential Apartment A – Special Section 3734 (R4A(H)-3734)
Composite Residential Commercial - Special Section 3735 (CRC(H)-3735)
Institutional One – Special Section 3574 (I1(H)-3574)
Open Space (OS)

- (2) By adding thereto Schedule C 3734 in the form as shown in Schedule B to this by-law;
- (3) By adding thereto the following sections:
- "3729 The lands designated R1F(H)-11.0-3729 on Schedule A to this by-law:
- 3729.1 Shall only be used for the purposes permitted in an R1F-x zone.
- 3729.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Width	a) Interior Lot: 11.0 metres
	b) Corner Lot: 14.3 metres
(2) Minimum Lot Area	a) 313 square metres
(3) Minimum Front Yard Depth	 a) 3.5 meters to the main wall of the building but 6.0 meters to the front of a garage door; b) A porch and/or balcony with or without foundation or cold cellar (including eaves and cornices) may encroach 2.0 metres into the minimum front yard; and, c) A bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach 1.0 metres into the minimum front yard.
(4) Minimum Exterior Side Yard Width	 a) 3.0 metres; b) A porch and/or balcony with or without foundation or cold cellar including eaves and cornices and chimney may encroach 2.0 metres into the minimum exterior side yard; and, c) A bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum exterior side yard.

(5) Minimum Rear Yard Depth	 a) 7.0 metres for an interior lot; b) 3.0 metres for a corner lot provided that not less than 50% of the unit width is setback 6.0 metres from the
	rear lot line;
	c) 4.5 metres for open roofed porches
	and or uncovered terraces;
	d) 4.5 metres to a deck off the main floor, provided that the deck is not
	more than 1.5 meters in height; and,
	e) A bay window, bow window or box window with or without foundation
	and a porch or cold cellar may
	encroach 1.0 metres into the
	minimum rear yard.
(6) Minimum Interior Side	a) 1.2 metres on one side; and,
Yard Width	b) 0.6 meters provided that the
	combined total of the interior side
	yards is not less than 1.8 metres.
(7) Maximum Building Height	12.0 metres
(8) Garage Control	a) For lots 14.0 metres wide or greater
(5)	the maximum cumulative interior
	garage width shall be 6.4 metres or
	50% of the dwelling unit width
	whichever is greater; and,
	b) The interior garage width, as
	calculated 3.0 metres from the garage
	opening shall be a maximum 0.90
	metres greater than the maximum
	cumulative garage door width
(a) The fellowing shall and	permitted on the lot.
(9) The following shall apply	a) Notwithstanding Section 6.13 Table
to a bay, bow or box window:	6.13.A the maximum width of a bay, bow or box window with or without
, willdow.	foundation shall be 4.5 metres;
	b) A bay, bow or box window with a
	maximum depth of 0.6 metres does
	not need to contain side windows;
	c) A bay, bow or box window with a
	depth greater than 0.6 metres up to a
	maximum depth of 1.0 metres does
	need to contain side windows.
L	to contain diag finiagito.

3729.3 Shall also be subject to the requirements and restrictions relating to the R1F-x Zone and all of the general provisions, which are not in conflict with those set out in 3729.2.

3729.4 Holding (H):

 Until the Holding (H) symbol is removed, the lands shall only be used in accordance with the Agricultural (A) and Agricultural – Special Section 839 (A) zones.

- 2) The Holding (H) symbol shall not be removed until such time as the following have been provided:
 - Approval of a Functional Servicing Report to the satisfaction of the Region of Peel;
 - b) Confirmation that the Commissioner of Public Works is satisfied that the appropriate mechanisms are in place for the construction of Inspire Boulevard in its entirety between Bramalea Road and Torbram Road as well as intersection improvements in accordance with the Growth Management Staging and Sequencing Strategy; and,
 - c) Confirmation that all infrastructure and services have been provided to the satisfaction of the Commissioner of Public Works in accordance with the Growth Management Staging and Sequencing Strategy."
- (4) By adding thereto, the following sections:
- "3730 The lands designated R1F(H)-11.6-3730 on Schedule A to this By-law:
- 3730.1 Shall only be used for the purposes permitted in an R1F-x zone.
- 3730.2 Shall be subject to the following requirements and restrictions:

	2) 25
(1) Minimum Front Yard Depth	 a) 3.5 meters to the main wall of the building but 6.0 meters to the front of
	a garage door;
	b) A porch and/or balcony with or
	without foundation or cold cellar
	(including eaves and cornices) may
	encroach 2.0 metres into the
	minimum front yard; and,
	c) A bay window, bow window or box
	window with or without foundation or
	cold cellar including eaves and
	cornices may encroach 1.0 metres
	into the minimum front yard.
(2) Minimum Exterior Side	a) 3.0 metres
Yard Width	b) A porch and/or balcony with or
	without foundation or cold cellar
	including eaves and cornices and
	chimney may encroach 2.0 metres
	into the minimum exterior side yard; and,
	c) A bay window, bow window or box
	window with or without foundation or
	cold cellar including eaves and
	cornices may encroach 1.0 metres
	into the minimum exterior side yard.
(3) Minimum Rear Yard	a) 7.0 metres for an interior lot;
Depth	b) 3.0 metres for a corner lot provided
	that not less than 50% of the unit
	width is setback 6.0 metres from the
	rear lot line and that a minimum
	interior side yard width of 1.2 metres

	is maintained between that portion of the building that is less than 6 metres from the rear lot line; c) 4.5 metres for open roofed porches and or uncovered terraces; d) 4.5 metres to a deck off the main floor, provided that the deck is not more than 1.5 metres in height; and, e) A bay window, bow window or box window with or without foundation and a porch or cold cellar may encroach 1.0 metres into the minimum rear yard.
(4) Minimum Interior Side Yard Width	a) 1.2 metres on one side; and, b) 0.6 metres provided that the combined total of the interior side yards is not less than 1.8 metres.
(5) Maximum Building Height	12.0 metres
(6) Garage Control	 a) For lots 14.0 metres wide or greater the maximum cumulative interior garage width shall be 6.4 metres or 50% of the dwelling unit width whichever is greater; and, b) The interior garage width, as calculated 3.0 metres from the garage opening shall be a maximum 0.90 metres greater than the maximum cumulative garage door width permitted on the lot.
(7) The following shall apply to a bay, bow or box window:	 a) Notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres; b) Notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres; c) A bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and, d) A bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows.

3730.3 Shall also be subject to the requirements and restrictions relating to the R1F-x Zone and all of the general provisions, which are not in conflict with those set out in 3730.2.

3730.4 Holding (H):

1) Until the Holding (H) symbol is removed, the lands shall only be

- used in accordance with the Agricultural (A) and Agricultural Special Section 839 (A) zones.
- 2) The Holding (H) symbol shall not be removed until such time as the following have been provided:
 - a) Approval of a Functional Servicing Report to the satisfaction of the Region of Peel;
 - b) Confirmation that the Commissioner of Public Works is satisfied that the appropriate mechanisms are in place for the construction of Inspire Boulevard in its entirety between Bramalea Road and Torbram Road as well as intersection improvements in accordance with the Growth Management Staging and Sequencing Strategy; and,
 - c) Confirmation that all infrastructure and services have been provided to the satisfaction of the Commissioner of Public Works in accordance with the Growth Management Staging and Sequencing Strategy."
- (5) By adding thereto, the following sections:
- "3731 The lands designated R3E(H)-5.5-3731 on Schedule A to this by-law:
- 3731.1 Shall only be used for the purposes permitted in an R3E-x zone and:
 - 1) Rear Lane Townhouse Dwelling
- 3731.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Width	a) Interior Lot: 5.5 metres
(7	b) Corner Lot: 6.2 metres
(2) Minimum Front Yard Depth	a) 3.0 metres; b) A porch and/or balcony with or without foundation or cold cellar (including eaves and cornices) may encroach 2.0 metres into the minimum front yard; and,
	c) A bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach 1.0 metres into the minimum front yard.
(3) Minimum Exterior Side Yard Width	a) 2.0 metres b) A porch and/or balcony with or without foundation or cold cellar including eaves and cornices and chimney may encroach 1.0 metres into the minimum exterior side yard; and,
	 c) A bay window, bow window or box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum exterior side yard.

Depth,	m Rear Yard including Setback rage Door		5.0 metres,
(5) Minimu Yard W	m Interior Side idth	b)	0.6 metres provided that the combined total of the interior side yards is not less than 1.8 metres; 0.0 metres when abutting side lot line coincides with a common wall; and, A bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach 0.7 metres into the minimum interior side yard.
(6) Maximu	ım Building Height		12.0 metres
Rear La 10.9.1E	ane Townhouse Dw	elling a	a garage is permitted in Rear Yard of a nd, notwithstanding Section the driveway shall not exceed the
(8) Minimu Width	m Dwelling Unit		5.5 metres
, ,	owing shall apply y, bow or box r:		Notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
		b)	Notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
		c)	A bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and,
		d)	A bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows.
line abı			operty lot line is deemed to be the lot operty line is deemed to be the lot line

3731.3 Shall also be subject to the requirements and restrictions relating to the R3E-x Zone and all of the general provisions, which are not in conflict with those set out in 3731.2.

3731.4 Holding (H):

- 1) Until the Holding (H) symbol is removed, the lands shall only be used in accordance with the Agricultural (A) and Agricultural Special Section 839 (A) zones.
- 2) The Holding (H) symbol shall not be removed until such time as

the following have been provided:

- a) Approval of a Functional Servicing Report to the satisfaction of the Region of Peel;
- b) Confirmation that the Commissioner of Public Works is satisfied that the appropriate mechanisms are in place for the construction of Inspire Boulevard in its entirety between Bramalea Road and Torbram Road as well as intersection improvements in accordance with the Growth Management Staging and Sequencing Strategy; and,
- c) Confirmation that all infrastructure and services have been provided to the satisfaction of the Commissioner of Public Works in accordance with the Growth Management Staging and Sequencing Strategy."
- (6) By adding thereto, the following sections:
- "3732 The lands designated R3E(H)-5.5-3732 on Schedule A to this by-law:
- 3732.1 Shall only be used for the purposes permitted in an R3E-x zone.
- 3732.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Width	a) Interior Lot: 5.5 metres
	b) Corner Lot: 6.2 metres
(2) Minimum Lot Area	a) Interior Lot: 138 square metres
	b) Corner Lot: 180 square metres
(3) Minimum Front Yard	d) 4.0 metres but 6.0 metres to the front
Depth	of a garage door;
	e) A porch and/or balcony with or
	without foundation or cold cellar
	(including eaves and cornices) may
	encroach 2.0 metres into the
	minimum front yard; and,
	f) A bay window, bow window or box window with or without foundation or
	cold cellar including eaves and cornices may encroach 1.0 metres
	into the minimum front yard.
(4) Minimum Exterior Side	d) 2.0 metres
Yard Width	e) A porch and/or balcony with or
	without foundation or cold cellar
	including eaves and cornices and
	chimney may encroach 1.0 metres
	into the minimum exterior side yard;
	and,
	f) A bay window, bow window or box
	window with or without foundation or
	cold cellar may encroach 1.0 metres into the minimum exterior side yard.
<u>, , , , , , , , , , , , , , , , , , , </u>	
(5) Minimum Rear Yard	l a) 60 meters:
(5) Minimum Rear Yard Depth	a) 6.0 meters;b) A porch and/or balcony with or

	 including eaves and cornices may encroach 1.8 metres into the minimum rear yard; c) A bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach 1.0 metres into the minimum rear yard.
(6) Minimum Interior Side Yard Width	 a) 0.6 metres provided that the combined total of the interior side yards is not less than 1.8 metres; b) 0.0 metres when abutting side lot line coincides with a common wall; and, c) A bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach 0.7 metres into the minimum interior side yard.
(7) Maximum Building Height	14.0 metres
(8) The following provisions shall apply to garages:	 a) The minimum cumulative garage door width shall be: i) the minimum cumulative garage door width for interior lots, with a lot width less than 6.0 metres shall be 2.3 metres; and, ii) the minimum cumulative garage door width for a corner lot with a lot equal to or greater than 6.0 metres shall be 2.3 metres.
(9) Minimum Dwelling Unit Width	5.5 metres
(10) The following shall apply to a bay, bow or box window:	 a) Notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres; b) Notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres; and, c) A bay, bow or box window with a
	maximum depth of 0.6m does not need to contain side windows.

3732.3 Shall also be subject to the requirements and restrictions relating to the RE3-x Zone and all of the general provisions, which are not in conflict with those set out in 3732.2.

3732.4 Holding (H):

 Until the Holding (H) symbol is removed, the lands shall only be used in accordance with the Agricultural (A) and Agricultural – Special Section 839 (A) zones.

- 2) The Holding (H) symbol shall not be removed until such time as the following have been provided:
 - a) Approval of a Functional Servicing Report to the satisfaction of the Region of Peel;
 - b) Confirmation that the Commissioner of Public Works is satisfied that the appropriate mechanisms are in place for the construction of Inspire Boulevard in its entirety between Bramalea Road and Torbram Road as well as intersection improvements in accordance with the Growth Management Staging and Sequencing Strategy; and,
 - c) Confirmation that all infrastructure and services have been provided to the satisfaction of the Commissioner of Public Works in accordance with the Growth Management Staging and Sequencing Strategy."
- (7) By adding thereto, the following sections:
- "3733 The lands designated R4A(H)- 3733 on Schedule A to this by-law:
- 3733.1 Shall only be used for the following purposes permitted in an R4A zone, and:
 - 1) Only in conjunction with or accessory to an apartment dwelling, the following non-residential uses shall be permitted on the ground floor of an apartment dwelling:
 - a. an office;
 - b. a bank, trust company or financial institution;
 - c. a retail establishment;
 - d. a convenience store;
 - e. a dry cleaning and laundry distribution station;
 - f. a laundromat;
 - g. a dining room restaurant;
 - h. a take-out restaurant;
 - i. a service shop;
 - j. a personal service shop;
 - k. a printing or copying establishment;
 - an art gallery;
 - m. a community club;
 - n. a commercial school;
 - o. a health or fitness centre:
 - p. a place of worship;
 - q. day nursery;
 - r. library;
 - s. a theatre;
 - t. a grocery store;

- u. a place of commercial recreation;
- v. an administrative office of any public authority;
- w. an animal hospital;

x. a travel agency; 3733.2 Shall also be subjected to the following requirements and restrictions: (1) Minimum Lot Area 0.33 hectares (2) For the purpose of this zone, Inspire Boulevard shall be deemed to be the front lot line. (3) Minimum Front Yard a) 3.0 metres for storey one to six; Depth b) 6.0 metres for storey seven and above. (4) Minimum West Interior a) 7.5 metres for storeys one to eight; Side Yard Width b) 12.5 metres for storeys eight above. (5) Minimum East Exterior a) 5.5 metres for storey one to six; Side Yard Width b) 8.5 metres for storey seven to nine; c) 11.5 metres for story ten and above. (6) Minimum Rear Yard a) 4.5 metres for storey one to six; **Depth** b) 7.5 metres for storey seven to nine; c) 10.5 metres for storey ten and above. (7) Maximum Building Height 15 storeys (8) Maximum Lot Coverage 60% by the main building (9) Minimum Landscaped 25% of the lot area **Open Space** (10) Maximum Floor Space 5.45 Index (11) Maximum At Grade 30 spaces **Parking Spaces** (12) Parking Ratio a) Residents: 0.9 parking spaces per unit b) Visitors: 0.2 parking spaces per unit (13) Minimum Amenity Area 300 square metres (14) All lands zoned R4A-3733 shall be treated as a single lot for zoning purposes. (15) No permanent accessory structures shall be erected in the front yard. (16) No outdoor storage is permitted in the front yard.

- (17) Additional fencing or barriers are permitted for the purposes of noise mitigation at the rear or side of lots in accordance with the requirements set out in Section 10.10.
- 3733.3 Shall also be subject to the requirements and restrictions relating to the R4A Zone and all of the general provisions, which are not in conflict with those set out in 3733.2

3733.4 Holding (H):

- Until the Holding (H) symbol is removed, the lands shall only be used in accordance with the Agricultural (A) and Agricultural – Special Section 839 (A) zones.
- 2) The Holding (H) symbol shall not be removed until such time as the following have been provided:
 - a) Approval of a Functional Servicing Report to the satisfaction of the Region of Peel;
 - b) Confirmation that the Commissioner of Public Works is satisfied that the appropriate mechanisms are in place for the construction of Inspire Boulevard in its entirety between Bramalea Road and Torbram Road as well as intersection improvements in accordance with the Growth Management Staging and Sequencing Strategy; and,
 - c) Confirmation that all infrastructure and services have been provided to the satisfaction of the Commissioner of Public Works in accordance with the Growth Management Staging and Sequencing Strategy."
- (8) By adding thereto, the following sections:
- "3734 The lands designated R4A(H)- 3734 on Schedule A to this by-law:
- 3734.1 Shall only be used for the purposes permitted in a R4A zone, and;
 - 1) A townhouse dwelling.
 - 2) Only in conjunction with or accessory to an apartment dwelling, the following non-residential uses shall be permitted on the ground floor of an apartment dwelling:
 - a. an office:
 - b. a bank, trust company or financial institution;
 - c. a retail establishment;
 - d. a convenience store;
 - e. a dry cleaning and laundry distribution station;
 - f. a laundromat;
 - g. a dining room restaurant;
 - h. a take-out restaurant;
 - a service shop;
 - j. a personal service shop;
 - k. a printing or copying establishment;

- I. an art gallery;
- m. a community club;
- n. a commercial school;
- o. a health or fitness centre;
- p. a place of worship;
- q. day nursery;
- r. library;
- s. a theatre;
- t. a grocery store;
- u. a place of commercial recreation;
- v. an administrative office of any public authority;
- w. an animal hospital;
- x. a travel agency;

3734.2 Shall be subject to the following:

a. Requirements and restrictions for an apartment dwelling:

(1) Minimum Lot Area	0.50 hectares
(2) Minimum Lot Width	No requirement
(3) Minimum Lot Depth	No requirement
(4) For the purpose of this zon the front lot line.	e, Inspire Boulevard shall be deemed to be
(5) Minimum Front Yard Depth	a) 3.0 metres for storey one to six;b) 6.0 metres for storey seven and above.
(6) Minimum Building Setbacks	As shown on Schedule C – 3734;
(7) Maximum Building Height	As shown on Schedule C - 3734
(8) Minimum Building Separation Distance	As shown on Schedule C - 3734
(9) Maximum Lot Coverage	65% by the main building
(10) Minimum Landscaped Open Space	25% of the lot area
(11) Maximum Floor Space Index	6.50

(12) Parking Ratio	c) Residents: 0.9 parking spaces per unit d) Visitors: 0.2 parking spaces per unit	
(13) Minimum Indoor Amenity Area	300 square metres	
(14) All lands zoned R4A-3734 shall be treated as a single lot for zoning purposes.		
(15) No permanent accessory structures shall be erected in the front yard.		
(16) No outdoor storage is permitted in the front yard.		
(17) Additional fencing or barriers are permitted for the purposes of noise mitigation at the rear or side of lots in accordance with the requirements set out in Section 10.10.		

b. Requirements and restrictions for a townhouse dwelling

(1) Minimum Lot Width a) Interior Lot: 5.5 metres b) Corner Lot: 6.2 metres 2) Minimum Lot Area a) Interior Lot: 138 square metres b) Corner Lot: 180 square metres corner Lot: 180 squ
(2) Minimum Lot Area a) Interior Lot: 138 square metres b) Corner Lot: 180 square metres (3) Minimum Dwelling Unit Width 5.5 metres a) 4 metres but 6.0 metres to the front of a garage door; b) A porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard including eaves and corners; and, c) A bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach 1.0 metres into the minimum front yard. (5) Minimum Exterior Side Yard Width a) 2.0 metres b) A porch and/or balcony with or without foundation or cold cellar including eaves and cornices and chimney may encroach 1.0 metres into the minimum
b) Corner Lot: 180 square metres (3) Minimum Dwelling Unit Width 5.5 metres (4) Minimum Front Yard Depth a) 4 metres but 6.0 metres to the front of a garage door; b) A porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard including eaves and corners; and, c) A bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach 1.0 metres into the minimum front yard. (5) Minimum Exterior Side Yard Width a) 2.0 metres b) A porch and/or balcony with or without foundation or cold cellar including eaves and cornices and chimney may encroach 1.0 metres into the minimum
(3) Minimum Dwelling Unit Width (4) Minimum Front Yard Depth a) 4 metres but 6.0 metres to the front of a garage door; b) A porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard including eaves and corners; and, c) A bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach 1.0 metres into the minimum front yard. (5) Minimum Exterior Side Yard Width a) 2.0 metres b) A porch and/or balcony with or without foundation or cold cellar including eaves and cornices and chimney may encroach 1.0 metres into the minimum
(4) Minimum Front Yard Depth a) 4 metres but 6.0 metres to the front of a garage door; b) A porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard including eaves and corners; and, c) A bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach 1.0 metres into the minimum front yard. (5) Minimum Exterior Side Yard Width a) 2.0 metres b) A porch and/or balcony with or without foundation or cold cellar including eaves and cornices and chimney may encroach 1.0 metres into the minimum
a) 4 metres but 6.0 metres to the front of a garage door; b) A porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard including eaves and corners; and, c) A bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach 1.0 metres into the minimum front yard. (5) Minimum Exterior Side Yard Width a) 2.0 metres b) A porch and/or balcony with or without foundation or cold cellar including eaves and cornices and chimney may encroach 1.0 metres into the minimum
without foundation or cold cellar may encroach 2.0 metres into the minimum front yard including eaves and corners; and, c) A bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach 1.0 metres into the minimum front yard. (5) Minimum Exterior Side Yard Width a) 2.0 metres b) A porch and/or balcony with or without foundation or cold cellar including eaves and cornices and chimney may encroach 1.0 metres into the minimum
window with or without foundation or cold cellar including eaves and cornices may encroach 1.0 metres into the minimum front yard. (5) Minimum Exterior Side Yard Width a) 2.0 metres b) A porch and/or balcony with or without foundation or cold cellar including eaves and cornices and chimney may encroach 1.0 metres into the minimum
Width b) A porch and/or balcony with or without foundation or cold cellar including eaves and cornices and chimney may encroach 1.0 metres into the minimum
b) A porch and/or balcony with or without foundation or cold cellar including eaves and cornices and chimney may encroach 1.0 metres into the minimum
c) A bay window, bow window or box window with or without foundation or cold
cellar including eaves and corners may encroach 1.0 metres into the minimum
14

	exterior side yard.
(6) Minimum Rear Yard Depth	 a) 6.0 meters; b) A porch and/or balcony with or without foundation or cold cellar including eaves and cornices may encroach 1.8 metres into the minimum rear yard; c) A bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach 1.0 metres into the minimum rear yard.
(7) Minimum Interior Side Yard Width	 d) 0.6 metres provided that the combined total of the interior side yards is not less than 1.8 metres; e) 0.0 metres when abutting side lot line coincides with a common wall; and, f) A bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach 0.7 metres into the minimum interior side yard.
(8) Maximum Building Height	14.0 metres
(9) Maximum Lot Coverage	70%
(10)Minimum Landscaped Open Space	No requirement
(11)The following provisions shall apply to garages:	a) The minimum cumulative garage door width shall be: i) the minimum cumulative garage door width for interior lots, with a lot width less than 6.0 metres shall be 2.3 metres; and, ii) the minimum cumulative garage door width for a corner lot with a lot equal to or greater than 6.0 metres shall be 2.3 metres.
(12)The following shall apply to a bay, bow or box window:	 a) Notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres; b) Notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres; and, c) A bay, bow or box window with a maximum depth of 0.6m does not need to contain side windows.

(13) All lands zoned R4A-3734 shall be treated as a single lot for zoning purposes.

- 3734.3 Shall also be subject to the requirements and restrictions relating to the R4A Zone and all of the general provisions, which are not in conflict with those set out in 3734.2.
- 3734.4 Holding (H):
- 1) Until the Holding (H) symbol is removed, the lands shall only be used in accordance with the Agricultural (A) and Agricultural Special Section 839 (A) zones.
- 2) The Holding (H) symbol shall not be removed until such time as the following have been provided:
 - a) The City's Commissioner of Planning.
 Building and Growth Management shall
 be satisfied that satisfactory
 arrangements have been made with
 respect to lot consolidation for the
 planned redevelopment of the adjacent
 properties immediately to the West as
 shown on Schedule C-3734 to this bylaw.
 - b) Approval of a Functional Servicing Report to the satisfaction of the Region of Peel:
 - c) Confirmation that the Commissioner of Public Works is satisfied that the appropriate mechanisms are in place for the construction of Inspire Boulevard in its entirety between Bramalea Road and Torbram Road as well as intersection improvements in accordance with the Growth Management Staging and Sequencing Strategy; and,
 - d) Confirmation that all infrastructure and services have been provided to the satisfaction of the Commissioner of Public Works in accordance with the Growth Management Staging and Sequencing Strategy."
- (9) By adding thereto, the following sections:
- "3735 The lands designated CRC(H) 3735 on Schedule A to this by-law:
- 3735.1 Shall only be used for the purposes permitted in an CRC zone and;
 - 1) A Multiple Residential Dwelling containing no more than 5 dwelling units.

3735.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Width	20 metres
(2) Minimum Lot Area	625 square metres
(3) Minimum Lot Depth	27 metres
(4) Minimum Front Yard Depth	a) 3.0 metres
(5) Minimum Interior Side Yard Width	a) 1.2 metres for the first storey or part thereof, plus 0.6 metres for each additional storey or part thereof.
(6) Minimum Exterior Side Yard Width	3.0 metres
(7) Minimum Rear Yard Depth	6.0 metes
(8) Maximum Building Height	12.0 metres
(9) Minimum Landscaped Open Space	40% of the required front yard.

3735.3 Shall also be subject to the requirements and restrictions relating to the CRC Zone and all of the general provisions, which are not in conflict with those set out in 3735.2.

3735.4 Holding (H):

- Until the Holding (H) symbol is removed, the lands shall only be used in accordance with the Agricultural (A) and Agricultural – Special Section 839 (A) zones.
- 2) The Holding (H) symbol shall not be removed until such time as the following have been provided:
 - a) Approval of a Functional Servicing Report to the satisfaction of the Region of Peel;
 - b) Confirmation that the Commissioner of Public Works is satisfied that the appropriate mechanisms are in place for the construction of Inspire Boulevard in its entirety between Bramalea Road and Torbram Road as well as intersection improvements in accordance with the Growth Management Staging and Sequencing Strategy; and,
 - c) Confirmation that all infrastructure and services have been provided to the satisfaction of the

By-law Number <u>51</u> - 2024

Commissioner of Public Works in accordance with the Growth Management Staging and Sequencing Strategy."

ENACTED and PASSED this 27th day of March, 2024.

Approved as to form.

2024/3/21

MR

Approved as to content.


2024/03/21

AAP

(OZS-2021-0026)

Patrick Brown, Mayor


Charlotte Gravlev, Acting City Clerk






LOT 16 & 17, CONCESSION 5 E.H.S.

Drawn by: LCarter BY-LAW 51-2024





BRAMPTON

brumpton.ca

Flower City

PLANNING, BUILDING AND GROWTH MANAGEMENT

o Kr

KEY MAP

File: OZS-2021-0026_ZKM
Date: 2024/02/20 Drawn by: LCarter BY-LAW 51-2024