



PRELIMINARY ROAD DESIGN (PLAN AND PROFILE) DRAWINGS

APPENDIX


P-3 COLERAINE DRIVE - PLAN & PROFILE





			· ·				
			· · ·			· · · · · · · · · · · · · · · · · · ·	
— EXIST (GRADE						
	/── PROP & ROAL)				· · · · · · · · · · · · · · · · · · ·	
	/						
		PF	ROP-527.78m at -1.35%				
					: 		
، د						· · · · · · · · · · · · · · · · · · · ·	
				PR. WATERMAIN			
:			EX. 750Ø SAN	ITARY SEWER			
						: :	
230.20	229.94	229.67	229.40	230-13 230-13	238 29 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	228.32	
	229.94	229.67	229.40	140 229.13	238 29 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	228.32	















\ST UPDATED 5-NC


... _____






— PROP R.O.W. **COLERAINE DRIVE** \vee \vee \vee \vee $\checkmark \checkmark \checkmark \checkmark \checkmark$ \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark -4/--4/--4/--4/_____ _____ 1.5m 0.25m -----<u>_____</u>____ 525 STI 450 STM MH CR4.3 <u>SAN/_____SAN</u> _ __ __ __ __ __ $\underline{\mathbf{v}} \quad \underline{\mathbf{v}} \quad \underline{\mathbf{$ — PROP R.O.W. – PROP Ç RO'AD PROP 1210.00n at -0.50% DETAILS FOR FUTURE WATERMAIN TO BE DETERMINED DURING DETAILED DESIGN T/G 220.42 N INV. 218.30 S INV. 218.23 — EXIST GRADE PR. 100.0m - 450 STM @0.50% EX. 300Ø WATERMAIN PR. 100.0m - 525 STM @0.50% EX. 750Ø SANITARY SEWER









COLERAINE DRIVE


	 - M	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
\downarrow		


PROP R.O.W.

			· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·
	PROP & ROAD)					
		ω,					· · · · · · · · · · · · · · · · · · · ·
		<i>A</i> H CR4.8				O,	
				PROP 1210.00m at -0.50%		MH CR44	· · · · · · · · · · · · · · · · · · ·
				at -0.50 %		<	
		T/C 217 02	· · · · · · · · · · · · · · · · · · · ·				
	1 1 1 1	N INV. 215.52	EXIST GRADE	:	:		
		T/G 217.92 N INV. 215.52 <u>S INV. 215.49</u>					
		N INV. 215.52 S INV. 215.49	EXIST GRADE	AIN		T/G 217.42 N INV. 214.99	
	EX 2000 UNE	NINV. 215.52 SINV. 215.49		AIN PR. 100.0m - 675 STM @0.50%		T/G 217.42 N INV. 214.99 S INV. 214.91	
	EX. 300Ø WATERMAIN	N INV. 215.52 S INV. 215.49				T/G 217.42 N INV. 214.99 S INV. 214.91	
						T/G 217.42 N INV. 214.99 S INV. 214.91	
		ANITARY SEWER				T/G 217.42 N IAV. 214 99 S INV. 214.91	
						T/G 217.42 N INV. 214.99 S INV. 214.91	
						T/G 217.42 N IAV. 214.99 S INV. 214.91	
						T/G 217.42 N IAV. 214.99 S INV. 214.91	
						T/G 217.42 N INV. 214.99 S INV. 214.91	
						T/G 217.42 N IAV. 214 99 S INV. 214.91	
						T/G 217.42 N IAV. 214.99 S INV. 214.91	
	EX. 750Ø S	ANITARY SEWER	PR. WATERN	PR. 100.0m - 675 STM @0.50%			
12+020	EX. 7500 S 	ANITARY SEWER	PR. WATERN	PR. 100.0m - 675 STM @0.50%	12+120 217.55		











T UPDATED 5-NO



AST UPDATED 5-N



T UPDATED 5-NO